Subject Index

Accounting Issues
A Greenhouse Gas Emissions Inventory for Pennsylvania, 1122

Accuracy Assessments
Aerosol Particle Number Concentration Measurements in Five European Cities Using TSI-3022 Condensation Particle Counter over a Three-Year Period during Health Effects of Air Pollution on Susceptible Subpopulations, 1064
Predicting Extents of Mercury Oxidation in Coal-Derived Flue Gases, 930

Acid Weathering
Measurement of Fine Particles in Diesel Emissions Using a Real-Time Aerosol Monitor, 978
Source Location and Characterization of Volatile Organic Compound Emissions at a Petrochemical Plant in Kaohsiung, Taiwan, 1487

Activated Carbon
A Pilot Study of Mercury Liberation and Capture from Coal-Fired Power Plant Fly Ash, 258
Properties of Pyrolytic Chars and Activated Carbons Derived from Pilot-Scale Pyrolysis of Used Tires, 1315

Activated Sludge
Bio-Oxidation of Airborne Volatile Organic Compounds in an Activated Sludge Aeration Tank, 604

Adsorption
Properties of Pyrolytic Chars and Activated Carbons Derived from Pilot-Scale Pyrolysis of Used Tires, 1315

Adsorption Loss
The Recovery of Ammonia and Hydrogen Sulfide from Ground-Level Area Sources Using Dynamic Isolation Flux Chambers: Bench-Scale Studies, 999

Adsorption/Regeneration
Applying Hexagonal Nanostructured Zeolite Particles for Acetone Removal, 834

Advanced Oxidation Process
Decomposition of Gas Phase 1,3-Butadiene by Ultraviolet/Ozone Process, 919

Aerosol Assisted Self-Assembly Process
Applying Hexagonal Nanostructured Zeolite Particles for Acetone Removal, 834

Aerosol Optical Depth
Application of Satellite Remote-Sensing Data for Source Analysis of Fine Particulate Matter Transport Events, 1389

Aerosol Particles
Effects of Aerosol Species on Atmospheric Visibility in Kaohsiung City, Taiwan, 1031

Aerosol Penetration
Electrostatic Enhancement of Collection Efficiency of the Fibrous Filter Pretreated with Ionic Surfactants, 594

Aerosols
Aerosol Particle Number Concentration Measurements in Five European Cities Using TSI-3022 Condensation Particle Counter over a Three-Year Period during Health Effects of Air Pollution on Susceptible Subpopulations, 1064
An Efficient Venturi Scrubber System to Remove Submicron Particles in Exhaust Gas, 319
Beryllium-7 Measurements in the Houston and Phoenix Urban Areas: An Estimation of Upper Atmospheric Ozone Contributions, 1228
Chemical Mass Balance Model with Fractionation for Apportioning $PM_{2.5}$: A Test Case for Los Angeles Traffic Sources, 1335
Emissions of Organic Compounds and Trace Metals in Fine Particulate Matter from Motor Vehicles: A Tunnel Study in Houston, Texas, 60
Estimating the Probability of the Public Perceiving a Decrease in Atmospheric Haze, 1760
Evaluation of Multisectional and Two-Section Particulate Matter Photochemical Grid Models in the Western United States, 1683
Investigation of Sources of Atmospheric Aerosol at a Hot Spot Area in Dhaka, Bangladesh, 227
Mass-Size Distributions of Particulate Sulfate, Nitrate, and Ammonium in a Particulate Matter Nonattainment Region in Southern Taiwan, 502
Membrane-Based Wet Electrostatic Precipitation, 784
The Midlatitude North American Background Aerosol and Global Aerosol Variation, 1585
Nanoparticles and the Environment, 708
Natural Background Visibility and Regional Haze Goals in the Southeastern United States, 1600
Real-Time Measurements of Jet Aircraft Engine Exhaust, 583
Seasonal and Spatial Variation of Solvent Extractable Organic Compounds in Fine Suspended Particulate Matter in Hong Kong, 291
Size and Composition Distribution of Airborne Particulate Matter in Northern California: I—Particulate Mass, Carbon, and Water-Soluble Ions, 30
Sources of Personal Exposure to Fine Particles in Toronto, Ontario, Canada, 1134
A Statistical Analysis of Visibility-Impairing Particles in Federal Class I Areas, 1621
Vapor-Phase and Fine Particulate Matter Concentrations of Polycyclic Aromatic Hydrocarbons Measured during the Winter Months in a Northern Rocky Mountain Urban Airshed, 1327

Agriculture
Open-Path Tunable Diode Laser Absorption Spectroscopy for Acquisition of Fugitive Emission Flux Data, 658
Predictions by the Odor From Feedlots, Setback Estimation Tool (OFFSET) Compared with Observations by Neighborhood Monitors, 1306

Air Cleaners
Prescribed Burns and Wildfires in Colorado: Impacts of Mitigation Measures on Indoor Air Particulate Matter, 1516

Aircraft
Real-Time Measurements of Jet Aircraft Engine Exhaust, 583

Air Flow
Three-Dimensional Modeling of Air Flow and Pollutant Dispersion in an Urban Street Canyon with Thermal Effects, 1178

Air Pollution
Aerosol Particle Number Concentration Measurements in Five European Cities Using TSI-3022 Condensation Particle Counter over a Three-Year Period during Health Effects of Air Pollution on Susceptible Subpopulations, 1064
An Investigation of Distributed Lag Models in the Context of Air Pollution and Mortality Time Series Analysis, 273
Estimating the Probability of the Public Perceiving a Decrease in Atmospheric Haze, 1760

Estimation of Organic Carbon Blank Values and Error Structures of the Speciation Trends Network Data for Source Apportionment, 1190
Evaluation of Trickle-Bed Air Biofilter Performance under Periodic Stressed Operating Conditions as a Function of Styrene Loading, 200
Field Validation of Sound Mitigation Models and Air Pollutant Emission Testing in Support of Missile Motor Disposal Activities, 1111
A Greenhouse Gas Emissions Inventory for Pennsylvania, 1122
Investigation of Sources of Atmospheric Aerosol at a Hot Spot Area in Dhaka, Bangladesh, 227
Measurement of Fine Particles in Diesel Emissions Using a Real-Time Aerosol Monitor, 978
Metrics Matter: Conflicting Air Quality Rankings from Different Indices of Air Pollution, 97
A Modal Approach to Vehicular Emissions and Fuel Consumption Model Development, 1431
Optimal Fleetwide Emissions Reductions for Passenger Ferries: An Application of a Mixed-Integer Nonlinear Programming Model for the New York–New Jersey Harbor, 458
Predictions by the Odor From Feedlots, Setback Estimation Tool (OFFSET) Compared with Observations by Neighborhood Monitors, 1306
Simulation of the Evolution of Particle Size Distributions in a Vehicle Exhaust Plume with Unconfined Dilution by Ambient Air, 437
The Steubenville Comprehensive Air Monitoring Program (SCAMP): Analysis of Short-Term and Episodic Variations in $PM_{2.5}$ Concentrations Using Hourly Air Monitoring Data, 559
The Steubenville Comprehensive Air Monitoring Program (SCAMP): Associations among Fine Particulate Matter, Co-Pollutants, and Meteorological Conditions, 481
Sulfur Toxicity and Media Capacity for H_2S Removal in Biofilters Packed with a Natural or a Commercial Granular Medium, 415
Trace Gases and Particulate Matter Emissions from Wildfires and Agricultural Burning in Northeastern Mexico during the 2000 Fires Season, 1797
Use of Subsampled Traffic Data to Estimate Roadway Emissions, Including Conversion to MOBILE6 Vehicle Classifications, 1245

Air Pollution Control
Bio-Oxidation of Airborne Volatile Organic Compounds in an Activated Sludge Aeration Tank, 604
Decomposition of Gas Phase 1,3-Butadiene by Ultraviolet/Ozone Process, 919
Nitrogen Oxides Emission Control Options for Coal-Fired Electric Utility Boilers, 1367

Air Pollution Trends
Analysis of PM_{10}, $PM_{2.5}$, and $PM_{2.5\ to\ 10}$ Concentrations in Santiago, Chile, from 1989 to 2001, 342

Air Purifiers
Effects of Ceiling-Mounted HEPA-UV Air Filters on Airborne Bacteria Concentrations in an Indoor Therapy Pool Building, 210

Air Quality
Aerosol Particle Number Concentration Measurements in Five European Cities Using TSI-3022 Condensation Particle Counter over a Three-Year Period during Health Effects of Air Pollution on Susceptible Subpopulations, 1064
Air Quality Modeling of Interpollutant Trading for Ozone Precursors in an Uban Area, 1543
Emissions of Organic Compounds and Trace Metals in Fine Particulate Matter from Motor Vehicles: A Tunnel Study in Houston, Texas, 60
Estimating the Probability of the Public Perceiving a Decrease in Atmospheric Haze, 1760
Evaluation of Compliance with National Legislation on Emissions in Portugal, 497
Extending the Kolmogorov–Zurbenko Filter: Application to Ozone, Particulate Matter, and Meteorological Trends, 1208
The Implosion of the Calgary General Hospital: Ambient Air Quality Issues, 52
Improving Urban Air Quality in China: Beijing Case Study, 1298
Mass-Size Distributions of Particulate Sulfate, Nitrate, and Ammonium in a Particulate Matter Nonattainment Region in Southern Taiwan, 502
Metrics Matter: Conflicting Air Quality Rankings from Different Indices of Air Pollution, 97
The New England Air Quality Forecasting Pilot Program: Development of an Evaluation Protocol and Performance Benchmark, 1782
PM Source Identification at Sunland Park, New Mexico, Using a Simple Heuristic Meteorological and Chemical Analysis, 352
Seasonal and Spatial Variation of Solvent Extractable Organic Compounds in Fine Suspended Particulate Matter in Hong Kong, 291
Size and Composition Distribution of Airborne Particulate Matter in Northern California: I-Particulate Mass, Carbon, and Water-Soluble Ions, 30
The Steubenville Comprehensive Air Monitoring Program (SCAMP): Overview and Statistical Considerations, 467

Air Quality Forecasting
The New England Air Quality Forecasting Pilot Program: Development of an Evaluation Protocol and Performance Benchmark, 1782

Air Quality Measurements
Analysis of Air Quality Observations with the Aid of the Source-Receptor Relationship Approach, 523

Air Quality Modeling
Air Quality Impact of the Coal-Fired Power Plants in the Northern Passageway of the China West-East Power Transmission Project, 1816
Control of Ozone Precursors in a Complex Industrial Terrain by Using Multiscale-Nested Air Quality Models with Fine Spatial Resolution (1 km^2), 1085
Integrated Assessment Modeling of Atmospheric Pollutants in the Southern Appalachian Mountains. Part I: Hourly and Seasonal Ozone, 1019

Air Quality Studies
Air Quality Modeling and Decisions for Ozone Reduction Strategies, 1558
Effects of SO_2 and NO_x Emission Reductions on $PM_{2.5}$ Mass Concentrations in the Southeastern United States, 265

Air Toxics
An Efficient Venturi Scrubber System to Remove Submicron Particles in Exhaust Gas, 319
Criteria and Air-Toxic Emissions from In-Use Automobiles in the National Low-Emission Vehicle Program, 1263
Hazardous Air Pollutants from Mobile Sources in the Metropolitan Area of Mexico City, 1289
Maintaining High-Volume, Low-Pressure Surface-Coating Regulatory Compliance Using the U.S. Environmental Protection Agency's Data Quality Objectives Process, 365
Modeling Mercury Fluxes and Concentrations in a Georgia Watershed Receiving Atmospheric Deposition Load from Direct and Indirect Sources, 547
Nickel and Sulfur Speciation of Residual Oil Fly Ashes from Two Electric Utility Steam-Generating Units, 309

Sulfur Toxicity and Media Capacity for H_2S Removal in Biofilters Packed with a Natural or a Commercial Granular Medium, 415
Summer and Winter Nonmethane Hydrocarbon Emissions from On-Road Motor Vehicles in the Midwestern United States, 629
Surface Compositions of Carbon Sorbents Exposed to Simulated Low-Rank Coal Flue Gases, 747

Airway Allergies/Asthma
Inhalation of Concentrated Ambient Particulate Matter near a Heavily Trafficked Road Stimulates Antigen-Induced Airway Responses in Mice, 1277

Alternative
Impacts of Biodiesel on Pollutant Emissions of a JP-8–Fueled Turbine Engine, 940
Measurement of Fine Particles in Diesel Emissions Using a Real-Time Aerosol Monitor, 978

Alternative/Innovative Technology
Field Enhancements of Packed-Bed Performance for Low-Concentration Acidic and Basic-Waste Gases from Semiconductor Manufacturing Process, 647

Ambient Air
Estimating the Probability of the Public Perceiving a Decrease in Atmospheric Haze, 1760
The Steubenville Comprehensive Air Monitoring Program (SCAMP): Overview and Statistical Considerations, 467

Ambient Air Quality Standards
An Assessment of the Sensitivity and Reliability of the Relative Reduction Factor Approach in the Development of 8-hr Ozone Attainment Plans, 13
Comparison of Ozone Temporal Scales for Large Urban, Small Urban, and Rural Areas in Georgia, 1498
Consistency of Ozone and Nitrogen Oxides Standards at Tropospherically Relevant Mixing Ratios, 1473
The Steubenville Comprehensive Air Monitoring Program (SCAMP): Associations among Fine Particulate Matter, Co-Pollutants, and Meteorological Conditions, 481

Ambient Concentrations
Mass-Size Distributions of Particulate Sulfate, Nitrate, and Ammonium in a Particulate Matter Nonattainment Region in Southern Taiwan, 502
Seasonal and Spatial Variation of Solvent Extractable Organic Compounds in Fine Suspended Particulate Matter in Hong Kong, 291
The Steubenville Comprehensive Air Monitoring Program (SCAMP): Overview and Statistical Considerations, 467

Ammonia
Ammonia Emission Factors for Open-Lot Dairies: Direct Measurements and Estimation by Nitrogen Intake, 826
Ammonia Flux from Open-Lot Dairies: Development of Measurement Methodology and Emission Factors, 816
Investigation of Nitrogen-Bearing Species in Catalytic Steam Gasification of Poultry Litter, 619
Modeling Inorganic Aerosols and Their Response to Changes in Precursor Concentration in Mexico City, 803
The Recovery of Ammonia and Hydrogen Sulfide from Ground-Level Area Sources Using Dynamic Isolation Flux Chambers: Bench-Scale Studies, 999

Ammonium Sulfate
Improved Light Extinction Reconstruction in Interagency Monitoring of Protected Visual Environments, 1751

Analytical Methods
Loss of $PM_{2.5}$ Nitrate from Filter Samples in Central California, 1158
Particulate Nitrate Measurement Using Nylon Filters, 1100

Applications
Temporal Analysis of Airborne Particulate Matter Reveals a Dose-Rate Effect on Mortality in El Paso: Indications of Differential Toxicity for Different Particle Mixtures, 893

Applied Load
The Effect of Diesel Fuel Sulfur Content on Particulate Matter Emissions for a Nonroad Diesel Generator, 993

Area Sources
Spatial Variability of Unpaved Road Dust PM_{10} Emission Factors near El Paso, Texas, 3

Artificial Neural Network
Systematic Development of an Artificial Neural Network Model for Real-Time Prediction of Ground-Level Ozone in Edmonton, AB, Canada, 1847

Asbestos
The Implosion of the Calgary General Hospital: Ambient Air Quality Issues, 52

Ash
Impact of Free Calcium Oxide Content of Fly Ash on Dust and Sulfur Dioxide Emissions in a Lignite-Fired Power Plant, 1042
Nickel and Sulfur Speciation of Residual Oil Fly Ashes from Two Electric Utility Steam-Generating Units, 309
A Pilot Study of Mercury Liberation and Capture from Coal-Fired Power Plant Fly Ash, 258

Aspergillus Fumigatus
Bioaerosol Generation at Large-Scale Green Waste Composting Plants, 612

Atmospheric
Airborne Emissions of Mercury from Municipal Solid Waste. I: New Measurements from Six Operating Landfills in Florida, 859
Airborne Emissions of Mercury from Municipal Solid Waste. II: Potential Losses of Airborne Mercury before Landfill, 870

Atmospheric Chemistry
Heterogeneous Oxidation by Ozone of Naphthalene Adsorbed at the Air–Water Interface of Micron-Size Water Droplets, 1345
The Missoula Valley Semivolatile and Volatile Organic Compound Study: Seasonal Average Concentrations, 1007
Vapor-Phase and Fine Particulate Matter Concentrations of Polycyclic Aromatic Hydrocarbons Measured during the Winter Months in a Northern Rocky Mountain Urban Airshed, 1327

Automotive
Emissions of Organic Compounds and Trace Metals in Fine Particulate Matter from Motor Vehicles: A Tunnel Study in Houston, Texas, 60
Hazardous Air Pollutants from Mobile Sources in the Metropolitan Area of Mexico City, 1289
High-Mileage Study of On-Board Diagnostic Emissions, 1480
Measurement of Fine Particles in Diesel Emissions Using a Real-Time Aerosol Monitor, 978
Simulation of the Evolution of Particle Size Distributions in a Vehicle Exhaust Plume with Unconfined Dilution by Ambient Air, 437

Automotive Exhaust
Hazardous Air Pollutants from Mobile Sources in the Metropolitan Area of Mexico City, 1289
High-Mileage Study of On-Board Diagnostic Emissions, 1480
A Modal Approach to Vehicular Emissions and Fuel Consumption Model Development, 1431

Average Speeds
Evaluating Speed Differences between Passenger Vehicles and Heavy Trucks for Transportation-Related Emissions Modeling, 1441

Back Trajectory Modeling
Application of Satellite Remote-Sensing Data for Source Analysis of Fine Particulate Matter Transport Events, 1389
Directional Biases in Back Trajectories Caused by Model and Input Data, 1649

Baghouse
Effect of Flow Distributors on Uniformity of Velocity Profile in a Baghouse, 886

Beijing
Characterization of Carbonaceous Species of Ambient $PM_{2.5}$ in Beijing, China, 984
Improving Urban Air Quality in China: Beijing Case Study, 1298

Benefit-To-Cost
Management and Performance of Taiwan's Waste Recycling Fund, 574

Beryllium-7
Beryllium-7 Measurements in the Houston and Phoenix Urban Areas: An Estimation of Upper Atmospheric Ozone Contributions, 1228

Big Bend National Park
Reconciliation and Interpretation of the Big Bend National Park Light Extinction Source Apportionment: Results from the Big Bend Regional Aerosol and Visibility Observational Study—Part II, 1726

Bioaerosol Monitoring
Bioaerosol Generation at Large-Scale Green Waste Composting Plants, 612

Bioaerosols
Effects of Ceiling-Mounted HEPA-UV Air Filters on Airborne Bacteria Concentrations in an Indoor Therapy Pool Building, 210

Biodiesel
Impacts of Biodiesel on Pollutant Emissions of a JP-8–Fueled Turbine Engine, 940

Biofilter Media
Sulfur Toxicity and Media Capacity for H_2S Removal in Biofilters Packed with a Natural or a Commercial Granular Medium, 415

Biofiltration
Biofilter Treatment of Volatile Organic Compound Emissions from Reformulated Paint: Complex Mixtures, Intermittent Operation, and Startup, 950
Degradation of Isobutanal at High Loading Rates in a Compost Biofilter, 1217
Sulfur Toxicity and Media Capacity for H_2S Removal in Biofilters Packed with a Natural or a Commercial Granular Medium, 415

Biogas
Extraction Wells and Biogas Recovery Modeling in Sanitary Landfills, 173
SynGas Production from Organic Waste Using Non-Thermal-Pulsed Discharge, 430

Biological Treatment
Enhancing Bioremediation of Diesel Oil and Gasoline in Soil Amended with an Agroindustry Sludge, 421
Evaluation of Trickle-Bed Air Biofilter Performance under Periodic Stressed Operating Conditions as a Function of Styrene Loading, 200
Sulfur Toxicity and Media Capacity for H_2S Removal in Biofilters Packed with a Natural or a Commercial Granular Medium, 415

Biomass Smoke
Prescribed Burns and Wildfires in Colorado: Impacts of Mitigation Measures on Indoor Air Particulate Matter, 1516

Bio-Oxidation
Bio-Oxidation of Airborne Volatile Organic Compounds in an Activated Sludge Aeration Tank, 604

Biopolymers
Evaluation of Biopolymer-Modified Concrete Systems for Disposal of Cathode Ray Tube Glass, 961

Bioremediation
Enhancing Bioremediation of Diesel Oil and Gasoline in Soil Amended with an Agroindustry Sludge, 421
Evaluation of Trickle-Bed Air Biofilter Performance under Periodic Stressed Operating Conditions as a Function of Styrene Loading, 200

BRAVO Study
Development of a United States–Mexico Emissions Inventory for the Big Bend Regional Aerosol and Visibility Observational (BRAVO) Study, 677
Directional Biases in Back Trajectories Caused by Model and Input Data, 1649
Reconciliation and Interpretation of the Big Bend National Park Light Extinction Source Apportionment: Results from the Big Bend Regional Aerosol and Visibility Observational Study—Part II, 1726
Spatial, Temporal, and Interspecies Patterns in Fine Particulate Matter in Texas, 1636

Brewery Wastewater
Determination of Schulze Equation for Chemical Oxygen Demand Reduction Using Stabilized Landfill Refuse Media, 194

1,3-Butadiene (BD)
Decomposition of Gas Phase 1,3-Butadiene by Ultraviolet/Ozone Process, 919

California Children
Parameter Evaluation and Model Validation of Ozone Exposure Assessment Using Harvard Southern California Chronic Ozone Exposure Study Data, 1508

Carbonaceous Species
Characterization of Carbonaceous Species of Ambient $PM_{2.5}$ in Beijing, China, 984

Carbon Factions
Improving Source Apportionment of Fine Particles in the Eastern United States Utilizing Temperature-Resolved Carbon Fractions, 1456

Carcinogens
Hazardous Air Pollutants from Mobile Sources in the Metropolitan Area of Mexico City, 1289

Catalysis
Using Nanoscale Zero-Valent Iron for the Remediation of Polycyclic Aromatic Hydrocarbons Contaminated Soil, 1200

Catalytic Conversion
Incinerating Volatile Organic Compounds with Ferrospinel Catalyst $MnFe_2O_4$: An Example with Isopropyl Alcohol, 1809

Catalytic Incineration
Incinerating Volatile Organic Compounds with Ferrospinel Catalyst $MnFe_2O_4$: An Example with Isopropyl Alcohol, 1809

Catalytic Steam Gasification
Investigation of Nitrogen-Bearing Species in Catalytic Steam Gasification of Poultry Litter, 619
Preliminary Economic Analysis of Poultry Litter Gasification Option with a Simple Transportation Model, 510

Cathode Ray Tubes (CRTs)
Evaluation of Biopolymer-Modified Concrete Systems for Disposal of Cathode Ray Tube Glass, 961

Characterization
PM Source Identification at Sunland Park, New Mexico, Using a Simple Heuristic Meteorological and Chemical Analysis, 352
Properties of Pyrolytic Chars and Activated Carbons Derived from Pilot-Scale Pyrolysis of Used Tires, 1315
Source Location and Characterization of Volatile Organic Compound Emissions at a Petrochemical Plant in Kaohsiung, Taiwan, 1487
Vapor-Phase and Fine Particulate Matter Concentrations of Polycyclic Aromatic Hydrocarbons Measured during the Winter Months in a Northern Rocky Mountain Urban Airshed, 1327

Chemical Composition
Effects of Aerosol Species on Atmospheric Visibility in Kaohsiung City, Taiwan, 1031

Chemical Mass Balance
Chemical Mass Balance Model with Fractionation for Apportioning $PM_{2.5}$: A Test Case for Los Angeles Traffic Sources, 1335
Seasonal Source-Receptor Relationships in a Petrochemical Industrial District over Northern Taiwan, 326

Chemical Speciation
Nickel and Sulfur Speciation of Residual Oil Fly Ashes from Two Electric Utility Steam-Generating Units, 309

China
Improving Urban Air Quality in China: Beijing Case Study, 1298

Chloride
Modeling Inorganic Aerosols and Their Response to Changes in Precursor Concentration in Mexico City, 803

Chromic Oxide
Molecular Study of Thermal Immobilization of Chromium(VI) with Clay, 411

Chromium Contamination
Molecular Study of Thermal Immobilization of Chromium(VI) with Clay, 411

Chromium Silicate
Molecular Study of Thermal Immobilization of Chromium(VI) with Clay, 411

Clean Air Act Amendments
A Statistical Analysis of Visibility-Impairing Particles in Federal Class I Areas, 1621

Cleanup Standards
SynGas Production from Organic Waste Using Non-Thermal-Pulsed Discharge, 430

Coal Burning Facilities
Methylmercury, Fish Consumption, and the Precautionary Principle, 388

Coarse Particles
Temporal Analysis of Airborne Particulate Matter Reveals a Dose-Rate Effect on Mortality in El Paso: Indications of Differential Toxicity for Different Particle Mixtures, 893

Codisposal
Compressibility of Municipal Solid Waste Codisposed with Fly Ash, 283

Collection Efficiency
Predicting Cutoff Aerodynamic Diameter and Sharpness of Single Round-Nozzle Impactors with a Finite Impaction Plate Diameter, 1858

Combustion
Impact of Free Calcium Oxide Content of Fly Ash on Dust and Sulfur Dioxide Emissions in a Lignite-Fired Power Plant, 1042
Impacts of Biodiesel on Pollutant Emissions of a JP-8–Fueled Turbine Engine, 940
Properties of Pyrolytic Chars and Activated Carbons Derived from Pilot-Scale Pyrolysis of Used Tires, 1315
Simulation of the Evolution of Particle Size Distributions in a Vehicle Exhaust Plume with Unconfined Dilution by Ambient Air, 437
Trace Gases and Particulate Matter Emissions from Wildfires and Agricultural Burning in Northeastern Mexico during the 2000 Fires Season, 1797

Compliance
Complying with Executive Order 13148 Using the Enterprise Environmental Safety and Occupational Health Management Information System, 302
Field Validation of Sound Mitigation Models and Air Pollutant Emission Testing in Support of Missile Motor Disposal Activities, 1111
Maintaining High-Volume, Low-Pressure Surface-Coating Regulatory Compliance Using the U.S. Environmental Protection Agency's Data Quality Objectives Process, 365

Compliance Analysis
Evaluation of Compliance with National Legislation on Emissions in Portugal, 497

Composition
The Southeastern Aerosol Research and Characterization Study: Part II. Filter-Based Measurements of Fine and Coarse Particulate Matter Mass and Composition, 1527

Composting
Bioaerosol Generation at Large-Scale Green Waste Composting Plants, 612

Compressibility
Compressibility of Municipal Solid Waste Codisposed with Fly Ash, 283

Compressive Strength
Evaluation of Biopolymer-Modified Concrete Systems for Disposal of Cathode Ray Tube Glass, 961

Concrete Composite
Evaluation of Biopolymer-Modified Concrete Systems for Disposal of Cathode Ray Tube Glass, 961

Congener Profile
Emissions of Polychlorinated Dibenzo-*p*-Dioxins and Dibenzofurans from Stack Gases of Electric Arc Furnaces and Secondary Aluminum Smelters, 219

Construction
Particulate Emissions from Construction Activities, 772

Contamination
Geological Characterization and Environmental Implications of the Placement of the Morelia Dump, Michoacán, Central Mexico, 755

Contour
Source Location and Characterization of Volatile Organic Compound Emissions at a Petrochemical Plant in Kaohsiung, Taiwan, 1487

Control Strategies
Evaluating Inspection and Maintenance Programs: A Policy-Making Framework, 147
Modeling Inorganic Aerosols and Their Response to Changes in Precursor Concentration in Mexico City, 803
Pollution Prevention and Control Procedure Case Study: An Application for Petroleum Refineries, 792

Control Technologies
An Efficient Venturi Scrubber System to Remove Submicron Particles in Exhaust Gas, 319
Membrane-Based Wet Electrostatic Precipitation, 784

Course Particles
Analysis of PM_{10}, $PM_{2.5}$, and $PM_{2.5\ to\ 10}$ Concentrations in Santiago, Chile, from 1989 to 2001, 342

Cut-Off Arrodynamic Diameter
Predicting Cutoff Aerodynamic Diameter and Sharpness of Single Round-Nozzle Impactors with a Finite Impaction Plate Diameter, 1858

Dairy
Ammonia Emission Factors for Open-Lot Dairies: Direct Measurements and Estimation by Nitrogen Intake, 826
Ammonia Flux from Open-Lot Dairies: Development of Measurement Methodology and Emission Factors, 816

Databases
Complying with Executive Order 13148 Using the Enterprise Environmental Safety and Occupational Health Management Information System, 302

Data Collection
Complying with Executive Order 13148 Using the Enterprise Environmental Safety and Occupational Health Management Information System, 302
The Effect of Diesel Fuel Sulfur Content on Particulate Matter Emissions for a Nonroad Diesel Generator, 993
Evaluating Speed Differences between Passenger Vehicles and Heavy Trucks for Transportation-Related Emissions Modeling, 1441

Decision-Making
Complying with Executive Order 13148 Using the Enterprise Environmental Safety and Occupational Health Management Information System, 302
Metrics Matter: Conflicting Air Quality Rankings from Different Indices of Air Pollution, 97

Design Value
Potential Interference Bias in Ozone Standard Compliance Monitoring, 1464

Desulfurization
Spray-Dry Desulfurization of Flue Gas from Heavy Oil Combustion, 20

Diesel
Review of Light-Duty Diesel and Heavy-Duty Diesel Gasoline Inspection Programs, 1876

Diesel Exhaust
Relative Importance of School Bus-Related Microenvironments to Children's Pollutant Exposure, 1418

Diesel Particulate Filter
Exhaust Temperature Profiles for Application of Passive Diesel Particulate Filters to Solid Waste Collection Vehicles in California, 241

Diesel Particulate Matter
Exhaust Temperature Profiles for Application of Passive Diesel Particulate Filters to Solid Waste Collection Vehicles in California, 241

Digital Camera
An Innovative Methodology for Analyzing Digital Visibility Images in an Urban Environment, 1733

Dioxin
Emissions of Polychlorinated Dibenzo-*p*-Dioxins and Dibenzofurans from Stack Gases of Electric Arc Furnaces and Secondary Aluminum Smelters, 219

Dispersion Modeling
Correlating Emissions with Time and Temperature to Predict Worst-Case Emissions from Open Liquid Area Sources, 1077

Dispersion Models
Methylmercury, Fish Consumption, and the Precautionary Principle, 388
Predictions by the Odor From Feedlots, Setback Estimation Tool (OFFSET) Compared with Observations by Neighborhood Monitors, 1306

DPM Emission
The Effect of Diesel Fuel Sulfur Content on Particulate Matter Emissions for a Nonroad Diesel Generator, 993

Dust
Particulate Emissions from Construction Activities, 772
Scattering Cross-Section Emission Factors for Visibility and Radiative Transfer Applications: Military Vehicles Traveling on Unpaved Roads, 1743
Spatial Variability of Unpaved Road Dust PM_{10} Emission Factors near El Paso, Texas, 3

Economics
Preliminary Economic Analysis of Poultry Litter Gasification Option with a Simple Transportation Model, 510

Electric Arc Furnace
Emissions of Polychlorinated Dibenzo-*p*-Dioxins and Dibenzofurans from Stack Gases of Electric Arc Furnaces and Secondary Aluminum Smelters, 219

Electric Utilities
Nickel and Sulfur Speciation of Residual Oil Fly Ashes from Two Electric Utility Steam-Generating Units, 309

Electrostatic Enhancement
Electrostatic Enhancement of Collection Efficiency of the Fibrous Filter Pretreated with Ionic Surfactants, 594

Electrostatic Precipitation
Membrane-Based Wet Electrostatic Precipitation, 784

Elemental Composition
Characteristics of Road Dust from Different Sampling Sites in Northern Taiwan, 1236

El Paso
An Innovative Methodology for Analyzing Digital Visibility Images in an Urban Environment, 1733

Emission Controls
An Efficient Venturi Scrubber System to Remove Submicron Particles in Exhaust Gas, 319

Exhaust Temperature Profiles for Application of Passive Diesel Particulate Filters to Solid Waste Collection Vehicles in California, 241
High-Mileage Study of On-Board Diagnostic Emissions, 1480
Impact of Free Calcium Oxide Content of Fly Ash on Dust and Sulfur Dioxide Emissions in a Lignite-Fired Power Plant, 1042
Nanoparticles and the Environment, 708
Nitrogen Oxides Emission Control Options for Coal-Fired Electric Utility Boilers, 1367
Optimal Fleetwide Emissions Reductions for Passenger Ferries: An Application of a Mixed-Integer Nonlinear Programming Model for the New York-New Jersey Harbor, 458
Surface Compositions of Carbon Sorbents Exposed to Simulated Low-Rank Coal Flue Gases, 747

Emission Factor
Emissions of Polychlorinated Dibenzo-*p*-Dioxins and Dibenzofurans from Stack Gases of Electric Arc Furnaces and Secondary Aluminum Smelters, 219
Scattering Cross-Section Emission Factors for Visibility and Radiative Transfer Applications: Military Vehicles Traveling on Unpaved Roads, 1743

Emission Inventories
Development of a United States–Mexico Emissions Inventory for the Big Bend Regional Aerosol and Visibility Observational (BRAVO) Study, 677
A Greenhouse Gas Emissions Inventory for Pennsylvania, 1122
Real-World Vehicle Emissions: A Summary of the 14th Coordinating Research Council On-Road Vehicle Emissions Workshop, 130
Trace Gases and Particulate Matter Emissions from Wildfires and Agricultural Burning in Northeastern Mexico during the 2000 Fires Season, 1797

Emission Rates
Ammonia Emission Factors for Open-Lot Dairies: Direct Measurements and Estimation by Nitrogen Intake, 826
Ammonia Flux from Open-Lot Dairies: Development of Measurement Methodology and Emission Factors, 816
Spatial Variability of Unpaved Road Dust PM_{10} Emission Factors near El Paso, Texas, 3

Emission Reductions
Precipitation in Light Extinction Reconstruction, 1014

Emissions
Airborne Emissions of Mercury from Municipal Solid Waste. I: New Measurements from Six Operating Landfills in Florida, 859
Airborne Emissions of Mercury from Municipal Solid Waste. II: Potential Losses of Airborne Mercury before Landfill, 870
Comparison of Two Photochemical Modeling Systems in a Tropical Urban Area, 903
Correlating Emissions with Time and Temperature to Predict Worst-Case Emissions from Open Liquid Area Sources, 1077
Development of a United States–Mexico Emissions Inventory for the Big Bend Regional Aerosol and Visibility Observational (BRAVO) Study, 677
Emissions of Organic Compounds and Trace Metals in Fine Particulate Matter from Motor Vehicles: A Tunnel Study in Houston, Texas, 60
Evaluation of Compliance with National Legislation on Emissions in Portugal, 497
Evaluation of Trickle-Bed Air Biofilter Performance under Periodic Stressed Operating Conditions as a Function of Styrene Loading, 200
Extraction Wells and Biogas Recovery Modeling in Sanitary Landfills, 173
Field Validation of Sound Mitigation Models and Air Pollutant Emission Testing in Support of Missile Motor Disposal Activities, 1111
Hazardous Air Pollutants from Mobile Sources in the Metropolitan Area of Mexico City, 1289
High-Mileage Study of On-Board Diagnostic Emissions, 1480
Impacts of Biodiesel on Pollutant Emissions of a JP-8–Fueled Turbine Engine, 940
Measurement of Fine Particles in Diesel Emissions Using a Real-Time Aerosol Monitor, 978
Open-Path Tunable Diode Laser Absorption Spectroscopy for Acquisition of Fugitive Emission Flux Data, 658
Optimal Fleetwide Emissions Reductions for Passenger Ferries: An Application of a Mixed-Integer Nonlinear Programming Model for the New York-New Jersey Harbor, 458
Real-Time Measurements of Jet Aircraft Engine Exhaust, 583
Real-World Vehicle Emissions: A Summary of the 14th Coordinating Research Council On-Road Vehicle Emissions Workshop, 130
Simulation of the Evolution of Particle Size Distributions in a Vehicle Exhaust Plume with Unconfined Dilution by Ambient Air, 437
Trace Gases and Particulate Matter Emissions from Wildfires and Agricultural Burning in Northeastern Mexico during the 2000 Fires Season, 1797

Emissions, Automotive
Scattering Cross-Section Emission Factors for Visibility and Radiative Transfer Applications: Military Vehicles Traveling on Unpaved Roads, 1743

Emissions, Characterization
Criteria and Air-Toxic Emissions from In-Use Automobiles in the National Low-Emission Vehicle Program, 1263
Open-Path Tunable Diode Laser Absorption Spectroscopy for Acquisition of Fugitive Emission Flux Data, 658
Real-Time Measurements of Jet Aircraft Engine Exhaust, 583
Summer and Winter Nonmethane Hydrocarbon Emissions from On-Road Motor Vehicles in the Midwestern United States, 629

Emissions Modeling
Trace Gases and Particulate Matter Emissions from Wildfires and Agricultural Burning in Northeastern Mexico during the 2000 Fires Season, 1797
Use of Subsampled Traffic Data to Estimate Roadway Emissions, Including Conversion to MOBILE6 Vehicle Classifications, 1245

Emissions Prediction
The Impact of Wet Flue Gas Desulfurization Scrubbing on Mercury Emissions from Coal-Fired Power Stations, 970
A Predictive Mechanism for Mercury Oxidation on Selective Catalytic Reduction Catalysts under Coal-Derived Flue Gass, 1866

Emissions Reduction
Field Enhancements of Packed-Bed Performance for Low-Concentration Acidic and Basic-Waste Gases from Semiconductor Manufacturing Process, 647
A Modal Approach to Vehicular Emissions and Fuel Consumption Model Development, 1431

Emissions Trading
Air Quality Modeling of Interpollutant Trading for Ozone Precursors in an Uban Area, 1543

Energy
Nanoparticles and the Environment, 708

Energy Recovery
Interactive Analysis of Waste Recycling and Energy Recovery Program in a Small-Scale Incinerator, 1356

Enforcement
Field Validation of Sound Mitigation Models and Air Pollutant Emission Testing in Support of Missile Motor Disposal Activities, 1111

Environmental Management
Complying with Executive Order 13148 Using the Enterprise Environmental Safety and Occupational Health Management Information System, 302

Environmental Nanotechnology
Nanoparticles and the Environment, 708

Environmental Policy
A Greenhouse Gas Emissions Inventory for Pennsylvania, 1122

Environmental Protection
A Statistical Analysis of Visibility-Impairing Particles in Federal Class I Areas, 1621

Environmental Transport
Modeling Mercury Fluxes and Concentrations in a Georgia Watershed Receiving Atmospheric Deposition Load from Direct and Indirect Sources, 547

Epidemiology
An Investigation of Distributed Lag Models in the Context of Air Pollution and Mortality Time Series Analysis, 273

Error Structure
Estimation of Organic Carbon Blank Values and Error Structures of the Speciation Trends Network Data for Source Apportionment, 1190

Experience Curve
Technology Innovations and Experience Curves for Nitrogen Oxides Control Technologies, 1827

Exposure
Sources of Personal Exposure to Fine Particles in Toronto, Ontario, Canada, 1134

Exposure Calculations
Relative Importance of School Bus-Related Microenvironments to Children's Pollutant Exposure, 1418

Extraction Wells
Extraction Wells and Biogas Recovery Modeling in Sanitary Landfills, 173

Factor Analysis
Spatial, Temporal, and Interspecies Patterns in Fine Particulate Matter in Texas, 1636

Ferrite Process
Incinerating Volatile Organic Compounds with Ferrospinel Catalyst $MnFe_2O_4$: An Example with Isopropyl Alcohol, 1809

Ferrospinel Catalyst
Incinerating Volatile Organic Compounds with Ferrospinel Catalyst $MnFe_2O_4$: An Example with Isopropyl Alcohol, 1809

Filtration
Filtration of Fly Ash Using a Fluidized-Bed Filter, 181

Fine Particles
Analysis of PM_{10}, $PM_{2.5}$, and $PM_{2.5\ to\ 10}$ Concentrations in Santiago, Chile, from 1989 to 2001, 342
Spatial, Temporal, and Interspecies Patterns in Fine Particulate Matter in Texas, 1636
Temporal Analysis of Airborne Particulate Matter Reveals a Dose-Rate Effect on Mortality in El Paso: Indications of Differential Toxicity for Different Particle Mixtures, 893

Fine Particulate Matter ($PM_{2.5}$)
Trends in Speciated Fine Particulate Matter and Visibility across Monitoring Networks in the Southeastern United States, 1663

Fine Particulate Modeling
Preliminary Evaluation of the Community Multiscale Air Quality Model for 2002 over the Southeastern United States, 1694

Flow Distributor
Effect of Flow Distributors on Uniformity of Velocity Profile in a Baghouse, 886

Flue Gas
Spray-Dry Desulfurization of Flue Gas from Heavy Oil Combustion, 20

Fluidized-Bed Filter
Filtration of Fly Ash Using a Fluidized-Bed Filter, 181

Flux Chamber Measurements
The Recovery of Ammonia and Hydrogen Sulfide from Ground-Level Area Sources Using Dynamic Isolation Flux Chambers: Bench-Scale Studies, 999

Fly Ash
Impact of Free Calcium Oxide Content of Fly Ash on Dust and Sulfur Dioxide Emissions in a Lignite-Fired Power Plant, 1042
Nickel and Sulfur Speciation of Residual Oil Fly Ashes from Two Electric Utility Steam-Generating Units, 309
A Pilot Study of Mercury Liberation and Capture from Coal-Fired Power Plant Fly Ash, 258
Compressibility of Municipal Solid Waste Codisposed with Fly Ash, 283
Filtration of Fly Ash Using a Fluidized-Bed Filter, 181

Forecast Model
Systematic Development of an Artificial Neural Network Model for Real-Time Prediction of Ground-Level Ozone in Edmonton, AB, Canada, 1847

Fossil
Nickel and Sulfur Speciation of Residual Oil Fly Ashes from Two Electric Utility Steam-Generating Units, 309

Fuels
Enhancing Bioremediation of Diesel Oil and Gasoline in Soil Amended with an Agroindustry Sludge, 421
Impacts of Biodiesel on Pollutant Emissions of a JP-8–Fueled Turbine Engine, 940
Measurement of Fine Particles in Diesel Emissions Using a Real-Time Aerosol Monitor, 978
A Modal Approach to Vehicular Emissions and Fuel Consumption Model Development, 1431
Nickel and Sulfur Speciation of Residual Oil Fly Ashes from Two Electric Utility Steam-Generating Units, 309
Real-World Vehicle Emissions: A Summary of the 14th Coordinating Research Council On-Road Vehicle Emissions Workshop, 130
SynGas Production from Organic Waste Using Non-Thermal-Pulsed Discharge, 430

Fuel Sulfur Content
The Effect of Diesel Fuel Sulfur Content on Particulate Matter Emissions for a Nonroad Diesel Generator, 993

Fugitive
Open-Path Tunable Diode Laser Absorption Spectroscopy for Acquisition of Fugitive Emission Flux Data, 658
Particulate Emissions from Construction Activities, 772
Scattering Cross-Section Emission Factors for Visibility and Radiative Transfer Applications: Military Vehicles Traveling on Unpaved Roads, 1743
Spatial Variability of Unpaved Road Dust PM_{10} Emission Factors near El Paso, Texas, 3

Fugitive Dust
PM Source Identification at Sunland Park, New Mexico, Using a Simple Heuristic Meteorological and Chemical Analysis, 352

Functional Data Analysis
Temporal Analysis of Airborne Particulate Matter Reveals a Dose-Rate Effect on Mortality in El Paso: Indications of Differential Toxicity for Different Particle Mixtures, 893

Gas Chromatography/Mass Spectrometry
Enhancing Bioremediation of Diesel Oil and Gasoline in Soil Amended with an Agroindustry Sludge, 421
Evaluation of Sample Recovery of Malodorous Livestock Gases from Air Sampling Bags, Solid-Phase Microextraction Fibers, Tenax TA Sorbent Tubes, and Sampling Canisters, 1147

Gas LP
Effect of Liquefied Petroleum Gas on Ozone Formation in Guadalajara and Mexico City, 841

Gas Recovery
The Recovery of Ammonia and Hydrogen Sulfide from Ground-Level Area Sources Using Dynamic Isolation Flux Chambers: Bench-Scale Studies, 999

Geographic Information Systems
Assessing Spatial Variability of Ambient Nitrogen Dioxide in Montréal, Canada, with a Land-Use Regression Model, 1059

Geology
Geological Characterization and Environmental Implications of the Placement of the Morelia Dump, Michoacán, Central Mexico, 755

Glaze Tile
Glazed Tiles Manufactured from Incinerated Sewage Sludge Ash and Clay, 163

Global Aerosols
The Midlatitude North American Background Aerosol and Global Aerosol Variation, 1585

Greenhouse Gases
A Greenhouse Gas Emissions Inventory for Pennsylvania, 1122

Green Wastes
Bioaerosol Generation at Large-Scale Green Waste Composting Plants, 612

Ground-Level Ozone
Systematic Development of an Artificial Neural Network Model for Real-Time Prediction of Ground-Level Ozone in Edmonton, AB, Canada, 1847

Groundwater
Geological Characterization and Environmental Implications of the Placement of the Morelia Dump, Michoacán, Central Mexico, 755

Halogenated Organic Compounds
Biodegradation of Trace Gases in Simulated Landfill Soil Cover Systems, 878

Hazardous Air Pollutants
Maintaining High-Volume, Low-Pressure Surface-Coating Regulatory Compliance Using the U.S. Environmental Protection Agency's Data Quality Objectives Process, 365

Hazardous Waste Management
Hazardous Air Pollutants from Mobile Sources in the Metropolitan Area of Mexico City, 1289

Haze
Methods and Results from a New Survey of Values for Eastern Regional Haze Improvements, 1767
Reconciliation and Interpretation of Big Bend National Park Particulate Sulfur Source Apportionment: Results from the Big Bend Regional Aerosol and Visibility Observational Study—Part I, 1709

Health Effects/Risks
Inhalation of Concentrated Ambient Particulate Matter near a Heavily Trafficked Road Stimulates Antigen-Induced Airway Responses in Mice, 1277
Methylmercury, Fish Consumption, and the Precautionary Principle, 388
Nanoparticles and the Environment, 708

Heavy-Duty
Review of Light-Duty Diesel and Heavy-Duty Diesel Gasoline Inspection Programs, 1876

Heavy Oil
Spray-Dry Desulfurization of Flue Gas from Heavy Oil Combustion, 20

Heavy Trucks
Evaluating Speed Differences between Passenger Vehicles and Heavy Trucks for Transportation-Related Emissions Modeling, 1441

Heterogeneous Oxidation
Heterogeneous Oxidation by Ozone of Naphthalene Adsorbed at the Air–Water Interface of Micron-Size Water Droplets, 1345

HPLC/HRMS-TOF
Quantification of Monosaccharide Anhydrides by Liquid Chromatography Combined with Mass Spectrometry: Application to Aerosol Samples from an Urban and a Suburban Site Influenced by Small-Scale Wood Burning, 1169

HPMS
Use of Subsampled Traffic Data to Estimate Roadway Emissions, Including Conversion to MOBILE6 Vehicle Classifications, 1245

Human Exposure
Methylmercury, Fish Consumption, and the Precautionary Principle, 388

Hydrocarbons
Enhancing Bioremediation of Diesel Oil and Gasoline in Soil Amended with an Agroindustry Sludge, 421

Hydrogen Sulfide
The Recovery of Ammonia and Hydrogen Sulfide from Ground-Level Area Sources Using Dynamic Isolation Flux Chambers: Bench-Scale Studies, 999
Sulfur Toxicity and Media Capacity for H_2S Removal in Biofilters Packed with a Natural or a Commercial Granular Medium, 415

Hydrophobicity
Applying Hexagonal Nanostructured Zeolite Particles for Acetone Removal, 834

HYSPLIT-Chem
The New England Air Quality Forecasting Pilot Program: Development of an Evaluation Protocol and Performance Benchmark, 1782

Impact Assessment
Analysis of Air Quality Observations with the Aid of the Source-Receptor Relationship Approach, 523

Implosion
The Implosion of the Calgary General Hospital: Ambient Air Quality Issues, 52

IMPROVE Formula
Precipitation in Light Extinction Reconstruction, 1014

IMPROVE Network Data
The Midlatitude North American Background Aerosol and Global Aerosol Variation, 1585

Incineration
Combustion Characteristics of Spent Catalyst and Paper Sludge in an Internally Circulating Fluidized-Bed Combustor, 1269
Interactive Analysis of Waste Recycling and Energy Recovery Program in a Small-Scale Incinerator, 1356

Indoor Air Pollution
Measuring the Effect of Photocatalytic Purifiers on Indoor Air Hydrocarbons and Carbonyl Pollutants, 88

Indoor Air Quality
Prescribed Burns and Wildfires in Colorado: Impacts of Mitigation Measures on Indoor Air Particulate Matter, 1516

Indoor Pool Therapy
Effects of Ceiling-Mounted HEPA-UV Air Filters on Airborne Bacteria Concentrations in an Indoor Therapy Pool Building, 210

Inertial Impactor
Predicting Cutoff Aerodynamic Diameter and Sharpness of Single Round-Nozzle Impactors with a Finite Impaction Plate Diameter, 1858

Influence Function
Analysis of Air Quality Observations with the Aid of the Source-Receptor Relationship Approach, 523

Inhalable Particles
Analysis of PM_{10}, $PM_{2.5}$, and $PM_{2.5\ to\ 10}$ Concentrations in Santiago, Chile, from 1989 to 2001, 342

Inorganic Aerosols
Modeling Inorganic Aerosols and Their Response to Changes in Precursor Concentration in Mexico City, 803

Inspection/Maintenance
Evaluating Inspection and Maintenance Programs: A Policy-Making Framework, 147
High-Mileage Study of On-Board Diagnostic Emissions, 1480
Review of Light-Duty Diesel and Heavy-Duty Diesel Gasoline Inspection Programs, 1876

Intermediates
Degradation of Isobutanal at High Loading Rates in a Compost Biofilter, 1217

Internally Circulating Fluidized Bed
Combustion Characteristics of Spent Catalyst and Paper Sludge in an Internally Circulating Fluidized-Bed Combustor, 1269

International Aspects
Development of a United States–Mexico Emissions Inventory for the Big Bend Regional Aerosol and Visibility Observational (BRAVO) Study, 677

Inter-Pollutant Trading
Air Quality Modeling of Interpollutant Trading for Ozone Precursors in an Uban Area, 1543

Isobutanal
Degradation of Isobutanal at High Loading Rates in a Compost Biofilter, 1217

Isopropyl Alcohol
Incinerating Volatile Organic Compounds with Ferrospinel Catalyst $MnFe_2O_4$: An Example with Isopropyl Alcohol, 1809

Kolmogorov–Zurbenko Filter
Extending the Kolmogorov-Zurbenko Filter: Application to Ozone, Particulate Matter, and Meteorological Trends, 1208

Landfill Gas
Biodegradation of Trace Gases in Simulated Landfill Soil Cover Systems, 878
Extraction Wells and Biogas Recovery Modeling in Sanitary Landfills, 173

Landfills
Airborne Emissions of Mercury from Municipal Solid Waste. I: New Measurements from Six Operating Landfills in Florida, 859
Airborne Emissions of Mercury from Municipal Solid Waste. II: Potential Losses of Airborne Mercury before Landfill, 870
Determination of Schulze Equation for Chemical Oxygen Demand Reduction Using Stabilized Landfill Refuse Media, 194
Extraction Wells and Biogas Recovery Modeling in Sanitary Landfills, 173
Geological Characterization and Environmental Implications of the Placement of the Morelia Dump, Michoacán, Central Mexico, 755
Open-Path Tunable Diode Laser Absorption Spectroscopy for Acquisition of Fugitive Emission Flux Data, 658
Sewage Sludge to Landfill: Some Pertinent Engineering Properties, 765

Land Use Regression Modeling
Assessing Spatial Variability of Ambient Nitrogen Dioxide in Montréal, Canada, with a Land-Use Regression Model, 1059

Leaching
Geological Characterization and Environmental Implications of the Placement of the Morelia Dump, Michoacán, Central Mexico, 755

Lead
The Implosion of the Calgary General Hospital: Ambient Air Quality Issues, 52

Legislation
Evaluation of Compliance with National Legislation on Emissions in Portugal, 497

Levoglucosan
Quantification of Monosaccharide Anhydrides by Liquid Chromatography Combined with Mass Spectrometry: Application to Aerosol Samples from an Urban and a Suburban Site Influenced by Small-Scale Wood Burning, 1169

Light Extinction
Improved Light Extinction Reconstruction in Interagency Monitoring of Protected Visual Environments, 1751

Light Scattering
Effects of Aerosol Species on Atmospheric Visibility in Kaohsiung City, Taiwan, 1031
Improved Light Extinction Reconstruction in Interagency Monitoring of Protected Visual Environments, 1751
Precipitation in Light Extinction Reconstruction, 1014

Longitudinal Study
Parameter Evaluation and Model Validation of Ozone Exposure Assessment Using Harvard Southern California Chronic Ozone Exposure Study Data, 1508

MAQSIP
The New England Air Quality Forecasting Pilot Program: Development of an Evaluation Protocol and Performance Benchmark, 1782

Marine Sources
Optimal Fleetwide Emissions Reductions for Passenger Ferries: An Application of a Mixed-Integer Nonlinear Programming Model for the New York-New Jersey Harbor, 458

Mass
The Southeastern Aerosol Research and Characterization Study: Part II. Filter-Based Measurements of Fine and Coarse Particulate Matter Mass and Composition, 1527

Material Recycling
Interactive Analysis of Waste Recycling and Energy Recovery Program in a Small-Scale Incinerator, 1356

Measurement Techniques
Loss of $PM_{2.5}$ Nitrate from Filter Samples in Central California, 1158
Measurement of Fine Particles in Diesel Emissions Using a Real-Time Aerosol Monitor, 978
Particulate Nitrate Measurement Using Nylon Filters, 1100
Potential Interference Bias in Ozone Standard Compliance Monitoring, 1464

Mercury
Airborne Emissions of Mercury from Municipal Solid Waste. I: New Measurements from Six Operating Landfills in Florida, 859
Airborne Emissions of Mercury from Municipal Solid Waste. II: Potential Losses of Airborne Mercury before Landfill, 870
Membrane-Based Wet Electrostatic Precipitation, 784
Methylmercury, Fish Consumption, and the Precautionary Principle, 388
Modeling Mercury Fluxes and Concentrations in a Georgia Watershed Receiving Atmospheric Deposition Load from Direct and Indirect Sources, 547
A Pilot Study of Mercury Liberation and Capture from Coal-Fired Power Plant Fly Ash, 258
Potential Interference Bias in Ozone Standard Compliance Monitoring, 1464
Surface Compositions of Carbon Sorbents Exposed to Simulated Low-Rank Coal Flue Gases, 747

Mercury Control
Surface Compositions of Carbon Sorbents Exposed to Simulated Low-Rank Coal Flue Gases, 747

Mercury Emissions
The Impact of Wet Flue Gas Desulfurization Scrubbing on Mercury Emissions from Coal-Fired Power Stations, 970
Predicting Extents of Mercury Oxidation in Coal-Derived Flue Gases, 930
A Predictive Mechanism for Mercury Oxidation on Selective Catalytic Reduction Catalysts under Coal-Derived Flue Gass, 1866

Mercury Retention
The Impact of Wet Flue Gas Desulfurization Scrubbing on Mercury Emissions from Coal-Fired Power Stations, 970

Mercury Speciation
Predicting Extents of Mercury Oxidation in Coal-Derived Flue Gases, 930

Mercury Stability
A Pilot Study of Mercury Liberation and Capture from Coal-Fired Power Plant Fly Ash, 258

Mesophilic Bacteria
Bioaerosol Generation at Large-Scale Green Waste Composting Plants, 612

Mesostructured Materials
Applying Hexagonal Nanostructured Zeolite Particles for Acetone Removal, 834

Meteorological Conditions
Extending the Kolmogorov-Zurbenko Filter: Application to Ozone, Particulate Matter, and Meteorological Trends, 1208
PM Source Identification at Sunland Park, New Mexico, Using a Simple Heuristic Meteorological and Chemical Analysis, 352
The Steubenville Comprehensive Air Monitoring Program (SCAMP): Analysis of Short-Term and Episodic Variations in $PM_{2.5}$ Concentrations Using Hourly Air Monitoring Data, 559
The Steubenville Comprehensive Air Monitoring Program (SCAMP): Associations among Fine Particulate Matter, Co-Pollutants, and Meteorological Conditions, 481

Methane Oxidation
Biodegradation of Trace Gases in Simulated Landfill Soil Cover Systems, 878

Methanotrophs
Biodegradation of Trace Gases in Simulated Landfill Soil Cover Systems, 878

Mexico City
Modeling Inorganic Aerosols and Their Response to Changes in Precursor Concentration in Mexico City, 803

Missing
Influence of Air Pollution on the Incidence of Respiratory Tract Neoplasm, 83

Mixed Model
Parameter Evaluation and Model Validation of Ozone Exposure Assessment Using Harvard Southern California Chronic Ozone Exposure Study Data, 1508

MMS-Chem
The New England Air Quality Forecasting Pilot Program: Development of an Evaluation Protocol and Performance Benchmark, 1782

MOBILE6
Use of Subsampled Traffic Data to Estimate Roadway Emissions, Including Conversion to MOBILE6 Vehicle Classifications, 1245

Mobile Sources
Criteria and Air-Toxic Emissions from In-Use Automobiles in the National Low-Emission Vehicle Program, 1263
Evaluating Inspection and Maintenance Programs: A Policy-Making Framework, 147
Evaluating Speed Differences between Passenger Vehicles and Heavy Trucks for Transportation-Related Emissions Modeling, 1441
Inhalation of Concentrated Ambient Particulate Matter near a Heavily Trafficked Road Stimulates Antigen-Induced Airway Responses in Mice, 1277
Real-World Vehicle Emissions: A Summary of the 14th Coordinating Research Council On-Road Vehicle Emissions Workshop, 130

Model Assessment
Characterization of Model Error in a Simulation of Fine Particulate Matter Exposure Distributions of the Working Age Population in Helsinki, Finland, 446

Model Error
Characterization of Model Error in a Simulation of Fine Particulate Matter Exposure Distributions of the Working Age Population in Helsinki, Finland, 446

Modeling
Air Quality Modeling and Decisions for Ozone Reduction Strategies, 1558
Analysis of Air Quality Observations with the Aid of the Source-Receptor Relationship Approach, 523
An Assessment of the Sensitivity and Reliability of the Relative Reduction Factor Approach in the Development of 8-hr Ozone Attainment Plans, 13
An Investigation of Distributed Lag Models in the Context of Air Pollution and Mortality Time Series Analysis, 273
Characterization of Model Error in a Simulation of Fine Particulate Matter Exposure Distributions of the Working Age Population in Helsinki, Finland, 446
A Modal Approach to Vehicular Emissions and Fuel Consumption Model Development, 1431
Modeling Mercury Fluxes and Concentrations in a Georgia Watershed Receiving Atmospheric Deposition Load from Direct and Indirect Sources, 547
Predictions by the Odor From Feedlots, Setback Estimation Tool (OFFSET) Compared with Observations by Neighborhood Monitors, 1306
Preliminary Economic Analysis of Poultry Litter Gasification Option with a Simple Transportation Model, 510
Real-World Vehicle Emissions: A Summary of the 14th Coordinating Research Council On-Road Vehicle Emissions Workshop, 130
Reconciliation and Interpretation of Big Bend National Park Particulate Sulfur Source Apportionment: Results from the Big Bend Regional Aerosol and Visibility Observational Study—Part I, 1709
Systematic Development of an Artificial Neural Network Model for Real-Time Prediction of Ground-Level Ozone in Edmonton, AB, Canada, 1847

Model Validation
Parameter Evaluation and Model Validation of Ozone Exposure Assessment Using Harvard Southern California Chronic Ozone Exposure Study Data, 1508

MODIS
Application of Satellite Remote-Sensing Data for Source Analysis of Fine Particulate Matter Transport Events, 1389

Monitoring
Maintaining High-Volume, Low-Pressure Surface-Coating Regulatory Compliance Using the U.S. Environmental Protection Agency's Data Quality Objectives Process, 365

Monitoring Network Comparison
Trends in Speciated Fine Particulate Matter and Visibility across Monitoring Networks in the Southeastern United States, 1663

Monosaccharide Anhydrides
Quantification of Monosaccharide Anhydrides by Liquid Chromatography Combined with Mass Spectrometry: Application to Aerosol Samples from an Urban and a Suburban Site Influenced by Small-Scale Wood Burning, 1169

Mortality
An Investigation of Distributed Lag Models in the Context of Air Pollution and Mortality Time Series Analysis, 273

Motor Vehicles
Summer and Winter Nonmethane Hydrocarbon Emissions from On-Road Motor Vehicles in the Midwestern United States, 629

Mud Dirt Trackout
Particulate Emissions from Construction Activities, 772

Multilinear Engine
Investigation of Sources of Atmospheric Aerosol at a Hot Spot Area in Dhaka, Bangladesh, 227

Municipal Solid Waste
Airborne Emissions of Mercury from Municipal Solid Waste. I: New Measurements from Six Operating Landfills in Florida, 859
Airborne Emissions of Mercury from Municipal Solid Waste. II: Potential Losses of Airborne Mercury before Landfill, 870
Compressibility of Municipal Solid Waste Codisposed with Fly Ash, 283
Extraction Wells and Biogas Recovery Modeling in Sanitary Landfills, 173

Mutagenicity
Source Contributions to the Mutagenicity of Urban Particulate Air Pollution, 399

NAAQS
Potential Interference Bias in Ozone Standard Compliance Monitoring, 1464

Nanoparticles
Nanoparticles and the Environment, 708

Nanoscale Iron
Using Nanoscale Zero-Valent Iron for the Remediation of Polycyclic Aromatic Hydrocarbons Contaminated Soil, 1200

Naphthalene Uptake
Heterogeneous Oxidation by Ozone of Naphthalene Adsorbed at the Air–Water Interface of Micron-Size Water Droplets, 1345

Natural Background
The Midlatitude North American Background Aerosol and Global Aerosol Variation, 1585
Natural Background Visibility and Regional Haze Goals in the Southeastern United States, 1600
Trace Gases and Particulate Matter Emissions from Wildfires and Agricultural Burning in Northeastern Mexico during the 2000 Fires Season, 1797

Nickel
Nickel and Sulfur Speciation of Residual Oil Fly Ashes from Two Electric Utility Steam-Generating Units, 309
Temperature Dependence of Nickel Stabilization in Inorganic Oxide Matrices, 1451

Nitrates
Effects of SO_2 and NO_x Emission Reductions on $PM_{2.5}$ Mass Concentrations in the Southeastern United States, 265
Loss of $PM_{2.5}$ Nitrate from Filter Samples in Central California, 1158
Particulate Nitrate Measurement Using Nylon Filters, 1100

Nitrogen Dioxide
Assessing Spatial Variability of Ambient Nitrogen Dioxide in Montréal, Canada, with a Land-Use Regression Model, 1059

Nitrogen Oxides
Consistency of Ozone and Nitrogen Oxides Standards at Tropospherically Relevant Mixing Ratios, 1473
Technology Innovations and Experience Curves for Nitrogen Oxides Control Technologies, 1827

Nitrogen Species
Investigation of Nitrogen-Bearing Species in Catalytic Steam Gasification of Poultry Litter, 619

Nonattainment
Comparison of Ozone Temporal Scales for Large Urban, Small Urban, and Rural Areas in Georgia, 1498

Non-Loading
Biofilter Treatment of Volatile Organic Compound Emissions from Reformulated Paint: Complex Mixtures, Intermittent Operation, and Startup, 950

Nonroad Diesel
The Effect of Diesel Fuel Sulfur Content on Particulate Matter Emissions for a Nonroad Diesel Generator, 993

Non-Thermal Plasma
SynGas Production from Organic Waste Using Non-Thermal-Pulsed Discharge, 430

NO_x Control Technologies
Nitrogen Oxides Emission Control Options for Coal-Fired Electric Utility Boilers, 1367

OC Blank
Estimation of Organic Carbon Blank Values and Error Structures of the Speciation Trends Network Data for Source Apportionment, 1190

Odors
Correlating Emissions with Time and Temperature to Predict Worst-Case Emissions from Open Liquid Area Sources, 1077
Evaluation of Sample Recovery of Malodorous Livestock Gases from Air Sampling Bags, Solid-Phase Microextraction Fibers, Tenax TA Sorbent Tubes, and Sampling Canisters, 1147
Incinerating Volatile Organic Compounds with Ferrospinel Catalyst $MnFe_2O_4$: An Exampie with Isopropyl Alcohol, 1809
Predictions by the Odor From Feedlots, Setback Estimation Tool (OFFSET) Compared with Observations by Neighborhood Monitors, 1306

On-Board Diagnostics
High-Mileage Study of On-Board Diagnostic Emissions, 1480

Optimization
Interactive Analysis of Waste Recycling and Energy Recovery Program in a Small-Scale Incinerator, 1356

Organic Aerosols
Quantification of Monosaccharide Anhydrides by Liquid Chromatography Combined with Mass Spectrometry: Application to Aerosol Samples from an Urban and a Suburban Site Influenced by Small-Scale Wood Burning, 1169

Organic Carbon Mass
Improved Light Extinction Reconstruction in Interagency Monitoring of Protected Visual Environments, 1751

Oxidized Mercury
The Impact of Wet Flue Gas Desulfurization Scrubbing on Mercury Emissions from Coal-Fired Power Stations, 970
Predicting Extents of Mercury Oxidation in Coal-Derived Flue Gases, 930
A Predictive Mechanism for Mercury Oxidation on Selective Catalytic Reduction Catalysts under Coal-Derived Flue Gass, 1866

Ozone
Air Quality Modeling and Decisions for Ozone Reduction Strategies, 1558
Air Quality Modeling of Interpollutant Trading for Ozone Precursors in an Uban Area, 1543
An Assessment of the Sensitivity and Reliability of the Relative Reduction Factor Approach in the Development of 8-hr Ozone Attainment Plans, 13
Beryllium-7 Measurements in the Houston and Phoenix Urban Areas: An Estimation of Upper Atmospheric Ozone Contributions, 1228
Comparison of Ozone Temporal Scales for Large Urban, Small Urban, and Rural Areas in Georgia, 1498
Consistency of Ozone and Nitrogen Oxides Standards at Tropospherically Relevant Mixing Ratios, 1473
Control of Ozone Precursors in a Complex Industrial Terrain by Using Multiscale-Nested Air Quality Models with Fine Spatial Resolution (1 km^2), 1085
Extending the Kolmogorov-Zurbenko Filter: Application to Ozone, Particulate Matter, and Meteorological Trends, 1208
Integrated Assessment Modeling of Atmospheric Pollutants in the Southern Appalachian Mountains. Part I: Hourly and Seasonal Ozone, 1019
Metrics Matter: Conflicting Air Quality Rankings from Different Indices of Air Pollution, 97
The New England Air Quality Forecasting Pilot Program: Development of an Evaluation Protocol and Performance Benchmark, 1782
Potential Interference Bias in Ozone Standard Compliance Monitoring, 1464
Preliminary Evaluation of the Community Multiscale Air Quality Model for 2002 over the Southeastern United States, 1694
Systematic Development of an Artificial Neural Network Model for Real-Time Prediction of Ground-Level Ozone in Edmonton, AB, Canada, 1847

Ozone Background
Beryllium-7 Measurements in the Houston and Phoenix Urban Areas: An Estimation of Upper Atmospheric Ozone Contributions, 1228

Ozone Exposure
Parameter Evaluation and Model Validation of Ozone Exposure Assessment Using Harvard Southern California Chronic Ozone Exposure Study Data, 1508

Ozone Formation
Effect of Liquefied Petroleum Gas on Ozone Formation in Guadalajara and Mexico City, 841

Ozone Reaction
Heterogeneous Oxidation by Ozone of Naphthalene Adsorbed at the Air–Water Interface of Micron-Size Water Droplets, 1345

Ozone Sensitivity
Comparison of Two Photochemical Modeling Systems in a Tropical Urban Area, 903

Ozone, Tropospheric
Beryllium-7 Measurements in the Houston and Phoenix Urban Areas: An Estimation of Upper Atmospheric Ozone Contributions, 1228

PAHs
Using Nanoscale Zero-Valent Iron for the Remediation of Polycyclic Aromatic Hydrocarbons Contaminated Soil, 1200

Paint
Biofilter Treatment of Volatile Organic Compound Emissions from Reformulated Paint: Complex Mixtures, Intermittent Operation, and Startup, 950

Paper Sludge
Combustion Characteristics of Spent Catalyst and Paper Sludge in an Internally Circulating Fluidized-Bed Combustor, 1269

Particulate Matter
Air Quality Impact of the Coal-Fired Power Plants in the Northern Passageway of the China West-East Power Transmission Project, 1816
An Investigation of Distributed Lag Models in the Context of Air Pollution and Mortality Time Series Analysis, 273
Application of Satellite Remote-Sensing Data for Source Analysis of Fine Particulate Matter Transport Events, 1389
Characteristics of Road Dust from Different Sampling Sites in Northern Taiwan, 1236
Criteria and Air-Toxic Emissions from In-Use Automobiles in the National Low-Emission Vehicle Program, 1263
Effects of SO_2 and NO_x Emission Reductions on $PM_{2.5}$ Mass Concentrations in the Southeastern United States, 265
Estimation of Organic Carbon Blank Values and Error Structures of the Speciation Trends Network Data for Source Apportionment, 1190
Evaluation of Multisectional and Two-Section Particulate Matter Photochemical Grid Models in the Western United States, 1683
Impacts of Biodiesel on Pollutant Emissions of a JP-8–Fueled Turbine Engine, 940
Investigation of Sources of Atmospheric Aerosol at a Hot Spot Area in Dhaka, Bangladesh, 227
Loss of $PM_{2.5}$ Nitrate from Filter Samples in Central California, 1158
Mass-Size Distributions of Particulate Sulfate, Nitrate, and Ammonium in a Particulate Matter Nonattainment Region in Southern Taiwan, 502
The Midlatitude North American Background Aerosol and Global Aerosol Variation, 1585
The Missoula Valley Semivolatile and Volatile Organic Compound Study: Seasonal Average Concentrations, 1007
Natural Background Visibility and Regional Haze Goals in the Southeastern United States, 1600
Particulate Nitrate Measurement Using Nylon Filters, 1100
Real-Time Measurements of Jet Aircraft Engine Exhaust, 583
Seasonal and Spatial Variation of Solvent Extractable Organic Compounds in Fine Suspended Particulate Matter in Hong Kong, 291
Seasonal Source-Receptor Relationships in a Petrochemical Industrial District over Northern Taiwan, 326
Source Contributions to the Mutagenicity of Urban Particulate Air Pollution, 399
A Statistical Analysis of Visibility-Impairing Particles in Federal Class I Areas, 1621
The Steubenville Comprehensive Air Monitoring Program (SCAMP): Analysis of Short-Term and Episodic Variations in $PM_{2.5}$ Concentrations Using Hourly Air Monitoring Data, 559
The Steubenville Comprehensive Air Monitoring Program (SCAMP): Associations among Fine Particulate Matter, Co-Pollutants, and Meteorological Conditions, 481
The Steubenville Comprehensive Air Monitoring Program (SCAMP): Overview and Statistical Considerations, 467
Temporal Analysis of Airborne Particulate Matter Reveals a Dose-Rate Effect on Mortality in El Paso: Indications of Differential Toxicity for Different Particle Mixtures, 893
Vapor-Phase and Fine Particulate Matter Concentrations of Polycyclic Aromatic Hydrocarbons Measured during the Winter Months in a Northern Rocky Mountain Urban Airshed, 1327

Paso del Norte
PM Source Identification at Sunland Park, New Mexico, Using a Simple Heuristic Meteorological and Chemical Analysis, 352

Patent Analysis
Technology Innovations and Experience Curves for Nitrogen Oxides Control Technologies, 1827

Perception
Estimating the Probability of the Public Perceiving a Decrease in Atmospheric Haze, 1760

Performance Evaluation
Integrated Assessment Modeling of Atmospheric Pollutants in the Southern Appalachian Mountains. Part I: Hourly and Seasonal Ozone, 1019

Permitting
Pollution Prevention and Control Procedure Case Study: An Application for Petroleum Refineries, 792

Personal Exposure
Sources of Personal Exposure to Fine Particles in Toronto, Ontario, Canada, 1134

PET Bottle
Management and Performance of Taiwan's Waste Recycling Fund, 574

Petrochemical Industry District
Seasonal Source-Receptor Relationships in a Petrochemical Industrial District over Northern Taiwan, 326

Petrochemical Plant
Source Location and Characterization of Volatile Organic Compound Emissions at a Petrochemical Plant in Kaohsiung, Taiwan, 1487

Petroleum Refinery Emissions
Pollution Prevention and Control Procedure Case Study: An Application for Petroleum Refineries, 792

Phosphorus Species
Investigation of Nitrogen-Bearing Species in Catalytic Steam Gasification of Poultry Litter, 619

Photocatalysis
Measuring the Effect of Photocatalytic Purifiers on Indoor Air Hydrocarbons and Carbonyl Pollutants, 88

Photochemical Modeling
Comparison of Two Photochemical Modeling Systems in a Tropical Urban Area, 903

Photochemical Pollutants
Air Quality Modeling and Decisions for Ozone Reduction Strategies, 1558

Photochemistry
Control of Ozone Precursors in a Complex Industrial Terrain by Using Multiscale-Nested Air Quality Models with Fine Spatial Resolution (1 km^2), 1085

Plasma Reforming
SynGas Production from Organic Waste Using Non-Thermal-Pulsed Discharge, 430

Plumes
Plume Rise in a Shear Layer with Neutral Stability, 669

Simulation of the Evolution of Particle Size Distributions in a Vehicle Exhaust Plume with Unconfined Dilution by Ambient Air, 437

PM
Particulate Emissions from Construction Activities, 772

$PM_{2.5}$
Ammonia Emission Factors for Open-Lot Dairies: Direct Measurements and Estimation by Nitrogen Intake, 826
Ammonia Flux from Open-Lot Dairies: Development of Measurement Methodology and Emission Factors, 816
An Efficient Venturi Scrubber System to Remove Submicron Particles in Exhaust Gas, 319
Characterization of Carbonaceous Species of Ambient $PM_{2.5}$ in Beijing, China, 984
Chemical Mass Balance Model with Fractionation for Apportioning $PM_{2.5}$: A Test Case for Los Angeles Traffic Sources, 1335
Continuous Determination of Fine Particulate Matter Mass in the Salt Lake City Environmental Monitoring Project: A Comparison of Real-Time and Conventional TEOM Monitor Results, 1839
Emissions of Organic Compounds and Trace Metals in Fine Particulate Matter from Motor Vehicles: A Tunnel Study in Houston, Texas, 60
Estimation of Organic Carbon Blank Values and Error Structures of the Speciation Trends Network Data for Source Apportionment, 1190
Evaluation of Multisectional and Two-Section Particulate Matter Photochemical Grid Models in the Western United States, 1683
The Implosion of the Calgary General Hospital: Ambient Air Quality Issues, 52
Improving Source Apportionment of Fine Particles in the Eastern United States Utilizing Temperature-Resolved Carbon Fractions, 1456
Membrane-Based Wet Electrostatic Precipitation, 784
The Missoula Valley Semivolatile and Volatile Organic Compound Study: Seasonal Average Concentrations, 1007
PM Source Identification at Sunland Park, New Mexico, Using a Simple Heuristic Meteorological and Chemical Analysis, 352
Preliminary Evaluation of the Community Multiscale Air Quality Model for 2002 over the Southeastern United States, 1694
Prescribed Burns and Wildfires in Colorado: Impacts of Mitigation Measures on Indoor Air Particulate Matter, 1516
Reconciliation and Interpretation of Big Bend National Park Particulate Sulfur Source Apportionment: Results from the Big Bend Regional Aerosol and Visibility Observational Study—Part I, 1709
Seasonal and Spatial Variation of Solvent Extractable Organic Compounds in Fine Suspended Particulate Matter in Hong Kong, 291
Simulation of the Evolution of Particle Size Distributions in a Vehicle Exhaust Plume with Unconfined Dilution by Ambient Air, 437
Sources of Personal Exposure to Fine Particles in Toronto, Ontario, Canada, 1134
The Southeastern Aerosol Research and Characterization Study: Part II. Filter-Based Measurements of Fine and Coarse Particulate Matter Mass and Composition, 1527
The Steubenville Comprehensive Air Monitoring Program (SCAMP): Analysis of Short-Term and Episodic Variations in $PM_{2.5}$ Concentrations Using Hourly Air Monitoring Data, 559
The Steubenville Comprehensive Air Monitoring Program (SCAMP): Associations among Fine Particulate Matter, Co-Pollutants, and Meteorological Conditions, 481
The Steubenville Comprehensive Air Monitoring Program (SCAMP): Overview and Statistical Considerations, 467

PM_{10}
Evaluation of Multisectional and Two-Section Particulate Matter Photochemical Grid Models in the Western United States, 1683
Extending the Kolmogorov-Zurbenko Filter: Application to Ozone, Particulate Matter, and Meteorological Trends, 1208
The Implosion of the Calgary General Hospital: Ambient Air Quality Issues, 52
PM Source Identification at Sunland Park, New Mexico, Using a Simple Heuristic Meteorological and Chemical Analysis, 352
Seasonal Source-Receptor Relationships in a Petrochemical Industrial District over Northern Taiwan, 326
Spatial Variability of Unpaved Road Dust PM_{10} Emission Factors near El Paso, Texas, 3
Temporal Analysis of Airborne Particulate Matter Reveals a Dose-Rate Effect on Mortality in El Paso: Indications of Differential Toxicity for Different Particle Mixtures, 893

PM, Course
The Southeastern Aerosol Research and Characterization Study: Part II. Filter-Based Measurements of Fine and Coarse Particulate Matter Mass and Composition, 1527

$PM_{2.5}/PM_{10}$
Size and Composition Distribution of Airborne Particulate Matter in Northern California: I-Particulate Mass, Carbon, and Water-Soluble Ions, 30

Polar Organic Compounds
Evaluation of Sample Recovery of Malodorous Livestock Gases from Air Sampling Bags, Solid-Phase Microextraction Fibers, Tenax TA Sorbent Tubes, and Sampling Canisters, 1147

Policy Decision-Making
Evaluating Inspection and Maintenance Programs: A Policy-Making Framework, 147

Pollutant Concentration
Metrics Matter: Conflicting Air Quality Rankings from Different Indices of Air Pollution, 97

Pollutant Dispersion
Three-Dimensional Modeling of Air Flow and Pollutant Dispersion in an Urban Street Canyon with Thermal Effects, 1178

Pollution Prevention
Pollution Prevention and Control Procedure Case Study: An Application for Petroleum Refineries, 792

Polycyclic Aromatic Hydrocarbons
The Missoula Valley Semivolatile and Volatile Organic Compound Study: Seasonal Average Concentrations, 1007
Vapor-Phase and Fine Particulate Matter Concentrations of Polycyclic Aromatic Hydrocarbons Measured during the Winter Months in a Northern Rocky Mountain Urban Airshed, 1327

Positive Matrix Factorization
Estimation of Organic Carbon Blank Values and Error Structures of the Speciation Trends Network Data for Source Apportionment, 1190

Improving Source Apportionment of Fine Particles in the Eastern United States Utilizing Temperature-Resolved Carbon Fractions, 1456
Investigation of Sources of Atmospheric Aerosol at a Hot Spot Area in Dhaka, Bangladesh, 227

Poultry Litter
Investigation of Nitrogen-Bearing Species in Catalytic Steam Gasification of Poultry Litter, 619
Preliminary Economic Analysis of Poultry Litter Gasification Option with a Simple Transportation Model, 510

Precipitation
Precipitation in Light Extinction Reconstruction, 1014

Precursor Controls
Control of Ozone Precursors in a Complex Industrial Terrain by Using Multiscale-Nested Air Quality Models with Fine Spatial Resolution (1 km^2), 1085

Primary Pollutants
Visibility Trends in Korea during the Past Two Decades, 73

Principal Component Analysis
Temporal Analysis of Airborne Particulate Matter Reveals a Dose-Rate Effect on Mortality in El Paso: Indications of Differential Toxicity for Different Particle Mixtures, 893

Privatization
Management and Performance of Taiwan's Waste Recycling Fund, 574

Probablistic Exposure Model
Characterization of Model Error in a Simulation of Fine Particulate Matter Exposure Distributions of the Working Age Population in Helsinki, Finland, 446

Public Health
The Implosion of the Calgary General Hospital: Ambient Air Quality Issues, 52

Pyrene
Using Nanoscale Zero-Valent Iron for the Remediation of Polycyclic Aromatic Hydrocarbons Contaminated Soil, 1200

Pyrolysis
Properties of Pyrolytic Chars and Activated Carbons Derived from Pilot-Scale Pyrolysis of Used Tires, 1315

RAMS Monitor
Continuous Determination of Fine Particulate Matter Mass in the Salt Lake City Environmental Monitoring Project: A Comparison of Real-Time and Conventional TEOM Monitor Results, 1839

Reaction Mechanism
Predicting Extents of Mercury Oxidation in Coal-Derived Flue Gases, 930

Receptor Modeling
Chemical Mass Balance Model with Fractionation for Apportioning $PM_{2.5}$: A Test Case for Los Angeles Traffic Sources, 1335
Investigation of Sources of Atmospheric Aerosol at a Hot Spot Area in Dhaka, Bangladesh, 227
Sources of Personal Exposure to Fine Particles in Toronto, Ontario, Canada, 1134

Reclamation
Glazed Tiles Manufactured from Incinerated Sewage Sludge Ash and Clay, 163

Recycling
Management and Performance of Taiwan's Waste Recycling Fund, 574

Regional Characteristics
Visibility Trends in Korea during the Past Two Decades, 73

Regional Haze
Natural Background Visibility and Regional Haze Goals in the Southeastern United States, 1600
Preliminary Evaluation of the Community Multiscale Air Quality Model for 2002 over the Southeastern United States, 1694
Reconciliation and Interpretation of the Big Bend National Park Light Extinction Source Apportionment: Results from the Big Bend Regional Aerosol and Visibility Observational Study—Part II, 1726

Regional Haze Rule (RHR)
Improved Light Extinction Reconstruction in Interagency Monitoring of Protected Visual Environments, 1751
Precipitation in Light Extinction Reconstruction, 1014
Trends in Speciated Fine Particulate Matter and Visibility across Monitoring Networks in the Southeastern United States, 1663

Regulations
An Assessment of the Sensitivity and Reliability of the Relative Reduction Factor Approach in the Development of 8-hr Ozone Attainment Plans, 13
Comparison of Ozone Temporal Scales for Large Urban, Small Urban, and Rural Areas in Georgia, 1498

Relative Humidity
Visibility Trends in Korea during the Past Two Decades, 73

Remediation
Nanoparticles and the Environment, 708

Remote Sensing
Open-Path Tunable Diode Laser Absorption Spectroscopy for Acquisition of Fugitive Emission Flux Data, 658

Removal Efficiency
Filtration of Fly Ash Using a Fluidized-Bed Filter, 181

Re-Suspension Particulate
Characteristics of Road Dust from Different Sampling Sites in Northern Taiwan, 1236

Road Dust
Characteristics of Road Dust from Different Sampling Sites in Northern Taiwan, 1236

Roadways
Evaluating Speed Differences between Passenger Vehicles and Heavy Trucks for Transportation-Related Emissions Modeling, 1441
Spatial Variability of Unpaved Road Dust PM_{10} Emission Factors near El Paso, Texas, 3

Rotary Kiln
Properties of Pyrolytic Chars and Activated Carbons Derived from Pilot-Scale Pyrolysis of Used Tires, 1315

Rural Sites
A Statistical Analysis of Visibility-Impairing Particles in Federal Class I Areas, 1621

SAMI
Integrated Assessment Modeling of Atmospheric Pollutants in the Southern Appalachian Mountains. Part I: Hourly and Seasonal Ozone, 1019

Sampling
Evaluation of Sample Recovery of Malodorous Livestock Gases from Air Sampling Bags, Solid-Phase Microextraction Fibers, Tenax TA Sorbent Tubes, and Sampling Canisters, 1147

Satellite
Application of Satellite Remote-Sensing Data for Source Analysis of Fine Particulate Matter Transport Events, 1389

Scattering Cross Section
Scattering Cross-Section Emission Factors for Visibility and Radiative Transfer Applications: Military Vehicles Traveling on Unpaved Roads, 1743

School Buses
Relative Importance of School Bus-Related Microenvironments to Children's Pollutant Exposure, 1418

Schulze Equation
Determination of Schulze Equation for Chemical Oxygen Demand Reduction Using Stabilized Landfill Refuse Media, 194

Scrubbers
The Effects of Scrubber Installation at the Navajo Generating Station on Particulate Sulfur and Visibility Levels in the Grand Canyon, 1675
Field Enhancements of Packed-Bed Performance for Low-Concentration Acidic and Basic-Waste Gases from Semiconductor Manufacturing Process, 647

Secondary Aluminum Smelter
Emissions of Polychlorinated Dibenzo-*p*-Dioxins and Dibenzofurans from Stack Gases of Electric Arc Furnaces and Secondary Aluminum Smelters, 219

Secondary Organic Carbon
Characterization of Carbonaceous Species of Ambient $PM_{2.5}$ in Beijing, China, 984

Secondary Particles
Visibility Trends in Korea during the Past Two Decades, 73

Selective Catalytic Reduction
A Predictive Mechanism for Mercury Oxidation on Selective Catalytic Reduction Catalysts under Coal-Derived Flue Gass, 1866
Nitrogen Oxides Emission Control Options for Coal-Fired Electric Utility Boilers, 1367
Technology Innovations and Experience Curves for Nitrogen Oxides Control Technologies, 1827

Semi-Volatile Material
Continuous Determination of Fine Particulate Matter Mass in the Salt Lake City Environmental Monitoring Project: A Comparison of Real-Time and Conventional TEOM Monitor Results, 1839

SES-TEOM Monitor
Continuous Determination of Fine Particulate Matter Mass in the Salt Lake City Environmental Monitoring Project: A Comparison of Real-Time and Conventional TEOM Monitor Results, 1839

Sewage Sludge
Glazed Tiles Manufactured from Incinerated Sewage Sludge Ash and Clay, 163
Sewage Sludge to Landfill: Some Pertinent Engineering Properties, 765

Sharpness
Predicting Cutoff Aerodynamic Diameter and Sharpness of Single Round-Nozzle Impactors with a Finite Impaction Plate Diameter, 1858

Shear
Plume Rise in a Shear Layer with Neutral Stability, 669

Sintering
Temperature Dependence of Nickel Stabilization in Inorganic Oxide Matrices, 1451

Size Distribution
Characteristics of Road Dust from Different Sampling Sites in Northern Taiwan, 1236
Filtration of Fly Ash Using a Fluidized-Bed Filter, 181

SO_2
Air Quality Impact of the Coal-Fired Power Plants in the Northern Passageway of the China West-East Power Transmission Project, 1816
Reconciliation and Interpretation of Big Bend National Park Particulate Sulfur Source Apportionment: Results from the Big Bend Regional Aerosol and Visibility Observational Study—Part I, 1709

Software Products
Development of a United States–Mexico Emissions Inventory for the Big Bend Regional Aerosol and Visibility Observational (BRAVO) Study, 677

Soil Columns
Biodegradation of Trace Gases in Simulated Landfill Soil Cover Systems, 878

Soil Remediation
Using Nanoscale Zero-Valent Iron for the Remediation of Polycyclic Aromatic Hydrocarbons Contaminated Soil, 1200

Soil Tests
Sewage Sludge to Landfill: Some Pertinent Engineering Properties, 765

Solar Radiation
An Innovative Methodology for Analyzing Digital Visibility Images in an Urban Environment, 1733

Solid Waste
Preliminary Economic Analysis of Poultry Litter Gasification Option with a Simple Transportation Model, 510

Soot
Impacts of Biodiesel on Pollutant Emissions of a JP-8–Fueled Turbine Engine, 940

Sorbents
Surface Compositions of Carbon Sorbents Exposed to Simulated Low-Rank Coal Flue Gases, 747

Source Apportionment
Directional Biases in Back Trajectories Caused by Model and Input Data, 1649
Estimation of Organic Carbon Blank Values and Error Structures of the Speciation Trends Network Data for Source Apportionment, 1190
Improving Source Apportionment of Fine Particles in the Eastern United States Utilizing Temperature-Resolved Carbon Fractions, 1456
Reconciliation and Interpretation of Big Bend National Park Particulate Sulfur Source Apportionment: Results from the Big Bend Regional Aerosol and Visibility Observational Study—Part I, 1709
Source Contributions to the Mutagenicity of Urban Particulate Air Pollution, 399

Source Attribution
Reconciliation and Interpretation of the Big Bend National Park Light Extinction Source Apportionment: Results from the Big Bend Regional Aerosol and Visibility Observational Study—Part II, 1726

Source Location
Source Location and Characterization of Volatile Organic Compound Emissions at a Petrochemical Plant in Kaohsiung, Taiwan, 1487

Source Profiles
Estimation of Organic Carbon Blank Values and Error Structures of the Speciation Trends Network Data for Source Apportionment, 1190
Summer and Winter Nonmethane Hydrocarbon Emissions from On-Road Motor Vehicles in the Midwestern United States, 629

Source Receptor Relationship
Analysis of Air Quality Observations with the Aid of the Source-Receptor Relationship Approach, 523

South Coast Air Basin
Chemical Mass Balance Model with Fractionation for Apportioning $PM_{2.5}$: A Test Case for Los Angeles Traffic Sources, 1335

Southeastern United States
Effects of SO_2 and NO_x Emission Reductions on $PM_{2.5}$ Mass Concentrations in the Southeastern United States, 265

Spatial and Temporal Patterns
Spatial, Temporal, and Interspecies Patterns in Fine Particulate Matter in Texas, 1636

Speciation Trends Network
Estimation of Organic Carbon Blank Values and Error Structures of the Speciation Trends Network Data for Source Apportionment, 1190

Spent Hydro-Desulphurization Catalyst
Combustion Characteristics of Spent Catalyst and Paper Sludge in an Internally Circulating Fluidized-Bed Combustor, 1269

Spray-Dry Desulfurization
Spray-Dry Desulfurization of Flue Gas from Heavy Oil Combustion, 20

Stabilized Refuse
Determination of Schulze Equation for Chemical Oxygen Demand Reduction Using Stabilized Landfill Refuse Media, 194

Starvation
Biofilter Treatment of Volatile Organic Compound Emissions from Reformulated Paint: Complex Mixtures, Intermittent Operation, and Startup, 950

State Implementation Plans (SIPs)
Air Quality Modeling and Decisions for Ozone Reduction Strategies, 1558
Evaluating Inspection and Maintenance Programs: A Policy-Making Framework, 147
The Steubenville Comprehensive Air Monitoring Program (SCAMP): Analysis of Short-Term and Episodic Variations in $PM_{2.5}$ Concentrations Using Hourly Air Monitoring Data, 559

Storage and Disposal
Field Validation of Sound Mitigation Models and Air Pollutant Emission Testing in Support of Missile Motor Disposal Activities, 1111

Sulfate
Effects of SO_2 and NO_x Emission Reductions on $PM_{2.5}$ Mass Concentrations in the Southeastern United States, 265

Sun Joaquin Valley
Size and Composition Distribution of Airborne Particulate Matter in Northern California: I-Particulate Mass, Carbon, and Water-Soluble Ions, 30

Surfactant-Pretreated Filter
Electrostatic Enhancement of Collection Efficiency of the Fibrous Filter Pretreated with Ionic Surfactants, 594

Survey
Methods and Results from a New Survey of Values for Eastern Regional Haze Improvements, 1767

Synthesis Gas
SynGas Production from Organic Waste Using Non-Thermal-Pulsed Discharge, 430

TCLP
Evaluation of Biopolymer-Modified Concrete Systems for Disposal of Cathode Ray Tube Glass, 961
Molecular Study of Thermal Immobilization of Chromium(VI) with Clay, 411

Technology Innovation
Technology Innovations and Experience Curves for Nitrogen Oxides Control Technologies, 1827

Teflon Tubing
The Recovery of Ammonia and Hydrogen Sulfide from Ground-Level Area Sources Using Dynamic Isolation Flux Chambers: Bench-Scale Studies, 999

Temperature
Correlating Emissions with Time and Temperature to Predict Worst-Case Emissions from Open Liquid Area Sources, 1077

Temporal Variations
Characterization of Carbonaceous Species of Ambient $PM_{2.5}$ in Beijing, China, 984

TEOM Monitor
Continuous Determination of Fine Particulate Matter Mass in the Salt Lake City Environmental Monitoring Project: A Comparison of Real-Time and Conventional TEOM Monitor Results, 1839

Terrestrial Receptors
Modeling Mercury Fluxes and Concentrations in a Georgia Watershed Receiving Atmospheric Deposition Load from Direct and Indirect Sources, 547

Testing
Measuring the Effect of Photocatalytic Purifiers on Indoor Air Hydrocarbons and Carbonyl Pollutants, 88
Review of Light-Duty Diesel and Heavy-Duty Diesel Gasoline Inspection Programs, 1876

Texas
Spatial, Temporal, and Interspecies Patterns in Fine Particulate Matter in Texas, 1636

Thermal Optical Method
Improving Source Apportionment of Fine Particles in the Eastern United States Utilizing Temperature-Resolved Carbon Fractions, 1456

Thermal Treatment
Properties of Pyrolytic Chars and Activated Carbons Derived from Pilot-Scale Pyrolysis of Used Tires, 1315

Three-Dimensional Modeling
Three-Dimensional Modeling of Air Flow and Pollutant Dispersion in an Urban Street Canyon with Thermal Effects, 1178

Tobit
Methods and Results from a New Survey of Values for Eastern Regional Haze Improvements, 1767

Toluene
Bio-Oxidation of Airborne Volatile Organic Compounds in an Activated Sludge Aeration Tank, 604

Toxic Air Monitoring System (TAMS)
Continuous Determination of Fine Particulate Matter Mass in the Salt Lake City Environmental Monitoring Project: A Comparison of Real-Time and Conventional TEOM Monitor Results, 1839

Toxic Air Pollutants
Exhaust Temperature Profiles for Application of Passive Diesel Particulate Filters to Solid Waste Collection Vehicles in California, 241
Measuring the Effect of Photocatalytic Purifiers on Indoor Air Hydrocarbons and Carbonyl Pollutants, 88

Toxic Metals
Emissions of Organic Compounds and Trace Metals in Fine Particulate Matter from Motor Vehicles: A Tunnel Study in Houston, Texas, 60
Nickel and Sulfur Speciation of Residual Oil Fly Ashes from Two Electric Utility Steam-Generating Units, 309

Toxicology
Inhalation of Concentrated Ambient Particulate Matter near a Heavily Trafficked Road Stimulates Antigen-Induced Airway Responses in Mice, 1277

Tracer Studies
Directional Biases in Back Trajectories Caused by Model and Input Data, 1649

Traffic
Assessing Spatial Variability of Ambient Nitrogen Dioxide in Montréal, Canada, with a Land-Use Regression Model, 1059
Inhalation of Concentrated Ambient Particulate Matter near a Heavily Trafficked Road Stimulates Antigen-Induced Airway Responses in Mice, 1277
Relative Importance of School Bus-Related Microenvironments to Children's Pollutant Exposure, 1418

Traffic Data
Use of Subsampled Traffic Data to Estimate Roadway Emissions, Including Conversion to MOBILE6 Vehicle Classifications, 1245

Transportation
Optimal Fleetwide Emissions Reductions for Passenger Ferries: An Application of a Mixed-Integer Nonlinear Programming Model for the New York-New Jersey Harbor, 458

Transportation Model
Preliminary Economic Analysis of Poultry Litter Gasification Option with a Simple Transportation Model, 510

Treatability
Determination of Schulze Equation for Chemical Oxygen Demand Reduction Using Stabilized Landfill Refuse Media, 194

Treatment Technologies
Determination of Schulze Equation for Chemical Oxygen Demand Reduction Using Stabilized Landfill Refuse Media, 194
Field Validation of Sound Mitigation Models and Air Pollutant Emission Testing in Support of Missile Motor Disposal Activities, 1111
Incinerating Volatile Organic Compounds with Ferrospinel Catalyst $MnFe_2O_4$: An Example with Isopropyl Alcohol, 1809
Measuring the Effect of Photocatalytic Purifiers on Indoor Air Hydrocarbons and Carbonyl Pollutants, 88

Trends
The Southeastern Aerosol Research and Characterization Study: Part II. Filter-Based Measurements of Fine and Coarse Particulate Matter Mass and Composition, 1527

Tropospheric
Comparison of Ozone Temporal Scales for Large Urban, Small Urban, and Rural Areas in Georgia, 1498
Extending the Kolmogorov-Zurbenko Filter: Application to Ozone, Particulate Matter, and Meteorological Trends, 1208

Ultrafine Particles
Size and Composition Distribution of Airborne Particulate Matter in Northern California: I-Particulate Mass, Carbon, and Water-Soluble Ions, 30

Uniformity
Effect of Flow Distributors on Uniformity of Velocity Profile in a Baghouse, 886

Urban Areas
Aerosol Particle Number Concentration Measurements in Five European Cities Using TSI-3022 Condensation Particle Counter over a Three-Year Period during Health Effects of Air Pollution on Susceptible Subpopulations, 1064
An Innovative Methodology for Analyzing Digital Visibility Images in an Urban Environment, 1733
Improving Urban Air Quality in China: Beijing Case Study, 1298

Urban Canyon
Three-Dimensional Modeling of Air Flow and Pollutant Dispersion in an Urban Street Canyon with Thermal Effects, 1178

U.S. Environmental Protection Agency
Maintaining High-Volume, Low-Pressure Surface-Coating Regulatory Compliance Using the U.S. Environmental Protection Agency's Data Quality Objectives Process, 365

Used Tires
Properties of Pyrolytic Chars and Activated Carbons Derived from Pilot-Scale Pyrolysis of Used Tires, 1315

UV/Ozone
Decomposition of Gas Phase 1,3-Butadiene by Ultraviolet/Ozone Process, 919

Validation
Characterization of Model Error in a Simulation of Fine Particulate Matter Exposure Distributions of the Working Age Population in Helsinki, Finland, 446

Valuation
Methods and Results from a New Survey of Values for Eastern Regional Haze Improvements, 1767

Velocity Profile
Effect of Flow Distributors on Uniformity of Velocity Profile in a Baghouse, 886

Very Complex Areas
Control of Ozone Precursors in a Complex Industrial Terrain by Using Multiscale-Nested Air Quality Models with Fine Spatial Resolution (1 km^2), 1085

Virtual-Monitor Model
Systematic Development of an Artificial Neural Network Model for Real-Time Prediction of Ground-Level Ozone in Edmonton, AB, Canada, 1847

Visibility
An Innovative Methodology for Analyzing Digital Visibility Images in an Urban Environment, 1733

Effects of Aerosol Species on Atmospheric Visibility in Kaohsiung City, Taiwan, 1031
The Effects of Scrubber Installation at the Navajo Generating Station on Particulate Sulfur and Visibility Levels in the Grand Canyon, 1675
Estimating the Probability of the Public Perceiving a Decrease in Atmospheric Haze, 1760
Natural Background Visibility and Regional Haze Goals in the Southeastern United States, 1600
Preliminary Evaluation of the Community Multiscale Air Quality Model for 2002 over the Southeastern United States, 1694
Scattering Cross-Section Emission Factors for Visibility and Radiative Transfer Applications: Military Vehicles Traveling on Unpaved Roads, 1743
Trends in Speciated Fine Particulate Matter and Visibility across Monitoring Networks in the Southeastern United States, 1663

Visibility Impairment
Reconciliation and Interpretation of the Big Bend National Park Light Extinction Source Apportionment: Results from the Big Bend Regional Aerosol and Visibility Observational Study—Part II, 1726
Visibility Trends in Korea during the Past Two Decades, 73

Vision
Estimating the Probability of the Public Perceiving a Decrease in Atmospheric Haze, 1760

Volatile Organic Compounds (VOCs)
Applying Hexagonal Nanostructured Zeolite Particles for Acetone Removal, 834
Biofilter Treatment of Volatile Organic Compound Emissions from Reformulated Paint: Complex Mixtures, Intermittent Operation, and Startup, 950
Bio-Oxidation of Airborne Volatile Organic Compounds in an Activated Sludge Aeration Tank, 604
Decomposition of Gas Phase 1,3-Butadiene by Ultraviolet/Ozone Process, 919
Evaluation of Sample Recovery of Malodorous Livestock Gases from Air Sampling Bags, Solid-Phase Microextraction Fibers, Tenax TA Sorbent Tubes, and Sampling Canisters, 1147
Evaluation of Trickle-Bed Air Biofilter Performance under Periodic Stressed Operating Conditions as a Function of Styrene Loading, 200
Incinerating Volatile Organic Compounds with Ferrospinel Catalyst $MnFe_2O_4$: An Example with Isopropyl Alcohol, 1809
The Missoula Valley Semivolatile and Volatile Organic Compound Study: Seasonal Average Concentrations, 1007
Source Location and Characterization of Volatile Organic Compound Emissions at a Petrochemical Plant in Kaohsiung, Taiwan, 1487
Summer and Winter Nonmethane Hydrocarbon Emissions from On-Road Motor Vehicles in the Midwestern United States, 629

W126
Integrated Assessment Modeling of Atmospheric Pollutants in the Southern Appalachian Mountains. Part I: Hourly and Seasonal Ozone, 1019

Waste Disposal
Properties of Pyrolytic Chars and Activated Carbons Derived from Pilot-Scale Pyrolysis of Used Tires, 1315
Sewage Sludge to Landfill: Some Pertinent Engineering Properties, 765

Waste Gases
Field Enhancements of Packed-Bed Performance for Low-Concentration Acidic and Basic-Waste Gases from Semiconductor Manufacturing Process, 647

Waste Handling
Airborne Emissions of Mercury from Municipal Solid Waste. II: Potential Losses of Airborne Mercury before Landfill, 870

Waste Management
Compressibility of Municipal Solid Waste Codisposed with Fly Ash, 283
Interactive Analysis of Waste Recycling and Energy Recovery Program in a Small-Scale Incinerator, 1356
Management and Performance of Taiwan's Waste Recycling Fund, 574

Waste Reduction
Incinerating Volatile Organic Compounds with Ferrospinel Catalyst $MnFe_2O_4$: An Example with Isopropyl Alcohol, 1809

Waste Treatment
Compressibility of Municipal Solid Waste Codisposed with Fly Ash, 283
Correlating Emissions with Time and Temperature to Predict Worst-Case Emissions from Open Liquid Area Sources, 1077

Water Droplets
Heterogeneous Oxidation by Ozone of Naphthalene Adsorbed at the Air–Water Interface of Micron-Size Water Droplets, 1345

West-East Power Transmission Project
Air Quality Impact of the Coal-Fired Power Plants in the Northern Passageway of the China West-East Power Transmission Project, 1816

Wet FGD
The Impact of Wet Flue Gas Desulfurization Scrubbing on Mercury Emissions from Coal-Fired Power Stations, 970

Willingness to Pay
Methods and Results from a New Survey of Values for Eastern Regional Haze Improvements, 1767

Wood Burning
Quantification of Monosaccharide Anhydrides by Liquid Chromatography Combined with Mass Spectrometry: Application to Aerosol Samples from an Urban and a Suburban Site Influenced by Small-Scale Wood Burning, 1169

Zeolite Concentrator
Applying Hexagonal Nanostructured Zeolite Particles for Acetone Removal, 834

Author Index

Aalto, P.
Aerosol Particle Number Concentration Measurements in Five European Cities Using TSI-3022 Condensation Particle Counter over a Three-Year Period during Health Effects of Air Pollution on Susceptible Subpopulations, 1064

Adlhoch, J.P.
Trends in Speciated Fine Particulate Matter and Visibility across Monitoring Networks in the Southeastern United States, 1663

Aggarwal, S.G.
Field Enhancements of Packed-Bed Performance for Low-Concentration Acidic and Basic-Waste Gases from Semiconductor Manufacturing Process, 647

Ahonen, S.
Spatial Variability of Unpaved Road Dust PM_{10} Emission Factors near El Paso, Texas, 3

Aikawa, B.
Measurement of Fine Particles in Diesel Emissions Using a Real-Time Aerosol Monitor, 978

Allen, D.
Air Quality Modeling of Interpollutant Trading for Ozone Precursors in an Urban Area, 1543
Trace Gases and Particulate Matter Emissions from Wildfires and Agricultural Burning in Northeastern Mexico during the 2000 Fires Season, 1797

Allen, M.K.
Summer and Winter Nonmethane Hydrocarbon Emissions from On-Road Motor Vehicles in the Midwestern United States, 629

Ambrose, R.B., Jr.
Modeling Mercury Fluxes and Concentrations in a Georgia Watershed Receiving Atmospheric Deposition Load from Direct and Indirect Sources, 547

Angenent, L.T.
Effects of Ceiling-Mounted HEPA-UV Air Filters on Airborne Bacteria Concentrations in an Indoor Therapy Pool Building, 210

Arimoto, R.
PM Source Identification at Sunland Park, New Mexico, Using a Simple Heuristic Meteorological and Chemical Analysis, 352

Arnott, P.
Real-Time Measurements of Jet Aircraft Engine Exhaust, 583

Arnott, W.P.
Scattering Cross-Section Emission Factors for Visibility and Radiative Transfer Applications: Military Vehicles Traveling on Unpaved Roads, 1743

Ashbaugh, L.
Ammonia Emission Factors for Open-Lot Dairies: Direct Measurements and Estimation by Nitrogen Intake, 826
Ammonia Flux from Open-Lot Dairies: Development of Measurement Methodology and Emission Factors, 816
Spatial, Temporal, and Interspecies Patterns in Fine Particulate Matter in Texas, 1636

Astitha, M.
Analysis of Air Quality Observations with the Aid of the Source-Receptor Relationship Approach, 523

Aulich, T.
Impacts of Biodiesel on Pollutant Emissions of a JP-8–Fueled Turbine Engine, 940

Aw, J.
Size and Composition Distribution of Airborne Particulate Matter in Northern California: I—Particulate Mass, Carbon, and Water-Soluble Ions, 30

Ayres, B.
Particulate Nitrate Measurement Using Nylon Filters, 1100

Bader, J.O.
Temporal Analysis of Airborne Particulate Matter Reveals a Dose-Rate Effect on Mortality in El Paso: Indications of Differential Toxicity for Different Particle Mixtures, 893

Bagchi, B.
Investigation of Nitrogen-Bearing Species in Catalytic Steam Gasification of Poultry Litter, 619

Bagian, T.
High-Mileage Study of On-Board Diagnostic Emissions, 1480

Bai, H.
Applying Hexagonal Nanostructured Zeolite Particles for Acetone Removal, 834

Baillieul, H.
Degradation of Isobutanal at High Loading Rates in a Compost Biofilter, 1217

Baldasano, J.M.
Control of Ozone Precursors in a Complex Industrial Terrain by Using Multiscale-Nested Air Quality Models with Fine Spatial Resolution (1 km^2), 1085

Baldauf, R.W.
Criteria and Air-Toxic Emissions from In-Use Automobiles in the National Low-Emission Vehicle Program, 1263

Barna, M.G.
Directional Biases in Back Trajectories Caused by Model and Input Data, 1649
Reconciliation and Interpretation of Big Bend National Park Light Extinction Source Apportionment: Results from the Big Bend Regional Aerosol and Visibility Observational Study—Part II, 1726
Reconciliation and Interpretation of Big Bend National Park Particulate Sulfur Source Apportionment: Results from the Big Bend Regional Aerosol and Visibility Observational Study—Part I, 1709

Bayless, D.J.
Membrane-Based Wet Electrostatic Precipitation, 784

Beckerman, B.
Assessing Spatial Variability of Ambient Nitrogen Dioxide in Montréal, Canada, with a Land-Use Regression Model, 1059

Begum, B.A.
Investigation of Sources of Atmospheric Aerosol at a Hot Spot Area in Dhaka, Bangladesh, 227

Behrentz, E.
Relative Importance of School Bus-Related Microenvironments to Children's Pollutant Exposure, 1418

Belian, T.C.
Real-World Vehicle Emissions: A Summary of the 14th Coordinating Research Council On-Road Vehicle Emissions Workshop, 130

Bell, M.L.
Metrics Matter: Conflicting Air Quality Rankings from Different Indices of Air Pollution, 97

Bellander, T.
Aerosol Particle Number Concentration Measurements in Five European Cities Using TSI-3022 Condensation Particle Counter over a Three-Year Period during Health Effects of Air Pollution on Susceptible Subpopulations, 1064

Benson, S.A.
Surface Compositions of Carbon Sorbents Exposed to Simulated Low-Rank Coal Flue Gases, 747

Bento, F.M.
Enhancing Bioremediation of Diesel Oil and Gasoline in Soil Amended with an Agroindustry Sludge, 421

Berglind, N.
Aerosol Particle Number Concentration Measurements in Five European Cities Using TSI-3022 Condensation Particle Counter over a Three-Year Period during Health Effects of Air Pollution on Susceptible Subpopulations, 1064

Bertram, T.H.
Consistency of Ozone and Nitrogen Oxides Standards at Tropospherically Relevant Mixing Ratios, 1473

Bilonick, R.A.
The Steubenville Comprehensive Air Monitoring Program (SCAMP): Analysis of Short-Term and Episodic Variations in $PM_{2.5}$ Concentrations Using Hourly Air Monitoring Data, 559
The Steubenville Comprehensive Air Monitoring Program (SCAMP): Associations among Fine Particulate Matter, Co-Pollutants, and Meteorological Conditions, 481
The Steubenville Comprehensive Air Monitoring Program (SCAMP): Overview and Statistical Considerations, 467

Biswas, P.
2005 Critical Review: Nanoparticles and the Environment, 708
Nanoparticles and the Environment, 1411

Biswas, S.K.
Investigation of Sources of Atmospheric Aerosol at a Hot Spot Area in Dhaka, Bangladesh, 227

Black, K.N.
Real-World Vehicle Emissions: A Summary of the 14th Coordinating Research Council On-Road Vehicle Emissions Workshop, 130

Blanchard, C.L.
Effects of SO_2 and NO_x Emission Reductions on $PM_{2.5}$ Mass Concentrations in the Southeastern United States, 265
The Midlatitude North American Background Aerosol and Global Aerosol Variation, 1585

Blasing, T.J.
Airborne Emissions of Mercury from Municipal Solid Waste. I: New Measurements from Six Operating Landfills in Florida, 859

Bogle, M.A.
Airborne Emissions of Mercury from Municipal Solid Waste. I: New Measurements from Six Operating Landfills in Florida, 859
Airborne Emissions of Mercury from Municipal Solid Waste. II: Potential Losses of Airborne Mercury before Landfill, 870

Boriack, C.N.
The Recovery of Ammonia and Hydrogen Sulfide from Ground-Level Area Sources Using Dynamic Isolation Flux Chambers: Bench-Scale Studies, 999

Boswell, J.
Sulfur Toxicity and Media Capacity for H_2S Removal in Biofilters Packed with a Natural or a Commercial Granular Medium, 415

Bouso, L.
Aerosol Particle Number Concentration Measurements in Five European Cities Using TSI-3022 Condensation Particle Counter over a Three-Year Period during Health Effects of Air Pollution on Susceptible Subpopulations, 1064

Boylan, J.W.
Integrated Assessment Modeling of Atmosphere Pollutants in the Southern Appalachian Mountains. Part I: Hourly and Seasonal Ozone, 1019
Preliminary Evaluation of the Community Multiscale Air Quality Model for 2002 over the Southeastern United States, 1694

Braathen, O.-A.
Quantification of Monosaccharide Anhydrides by Liquid Chromatography Combined with Mass Spectrometry: Application to Aerosol Samples from an Urban and a Suburban Site Influenced by Small-Scale Wood Burning, 1169

Braga, A.L.F.
Influence of Air Pollution on the Incidence of Respiratory Tract Neoplasm, 83

Brewer, P.
Natural Background Visibility and Regional Haze Goals in the Southeastern United States, 1600
Preliminary Evaluation of the Community Multiscale Air Quality Model for 2002 over the Southeastern United States, 1694
Trends in Speciated Fine Particulate Matter and Visibility across Monitoring Networks in the Southeastern United States, 1663

Brook, J.R.
Assessing Spatial Variability of Ambient Nitrogen Dioxide in Montréal, Canada, with a Land-Use Regression Model, 1059
Sources of Personal Exposure to Fine Particles in Toronto, Ontario, Canada, 1134

Bruce, G.M.
Nanoparticles and the Environment, 1411

Busby, W.F., Jr.
Source Contributions to the Mutagenicity of Urban Particulate Air Pollution, 399

Cadle, S.H.
Characterization of Carbonaceous Species of Ambient $PM_{2.5}$ in Beijing, China, 984
Real-World Vehicle Emissions: A Summary of the 14th Coordinating Research Council On-Road Vehicle Emissions Workshop, 130

Cai, Z.
Evaluation of Trickle-Bed Air Biofilter Performance under Periodic Stressed Operating Conditions as a Function of Styrene Loading, 200

Caine, J.
Membrane-Based Wet Electrostatic Precipitation, 784

Capareda, S.C.
The Recovery of Ammonia and Hydrogen Sulfide from Ground-Level Area Sources Using Dynamic Isolation Flux Chambers: Bench-Scale Studies, 999

Cardenas, N.
PM Source Identification at Sunland Park, New Mexico, Using a Simple Heuristic Meteorological and Chemical Analysis, 352

Cass, G.R.
Source Contributions to the Mutagenicity of Urban Particulate Air Pollution, 399

Cassel, T.
Ammonia Emission Factors for Open-Lot Dairies: Direct Measurements and Estimation by Nitrogen Intake, 826
Ammonia Flux from Open-Lot Dairies: Development of Measurement Methodology and Emission Factors, 816

Castaño-Vinyals, G.
Aerosol Particle Number Concentration Measurements in Five European Cities Using TSI-3022 Condensation Particle Counter over a Three-Year Period during Health Effects of Air Pollution on Susceptible Subpopulations, 1064

Castrillón, L.
Extraction Wells and Biogas Recovery Modeling in Sanitary Landfills, 173

Cattani, G.
Aerosol Particle Number Concentration Measurements in Five European Cities Using TSI-3022 Condensation Particle Counter over a Three-Year Period during Health Effects of Air Pollution on Susceptible Subpopulations, 1064

Chae, J.O.
SynGas Production from Organic Waste Using Non-Thermal-Pulsed Discharge, 430

Chai, F.
Air Quality Impact of the Coal-Fired Power Plants in the Northern Passageway of the China West-East Power Transmission Project, 1816

Chakrabarti, B.
Inhalation of Concentrated Ambient Particulate Matter near a Heavily Tafficked Road Stimulates Antigen-Induced Airway Responses in Mice, 1277

Chan, T.
Characterization of Carbonaceous Species of Ambient $PM_{2.5}$ in Beijing, China, 984

Chang, C.-L.
Applying Hexagonal Nanostructured Zeolite Particles for Acetone Removal, 834

Chang, C.-Y.
Characteristics of Road Dust from Different Sampling Sites in Northern Taiwan, 1236

Chang, D.P.
Size and Composition Distribution of Airborne Particulate Matter in Northern California: I—Particulate Mass, Carbon, and Water-Soluble Ions, 30

Chang, E.E.
Seasonal Source-Receptor Relationships in a Petrochemical Industrial District over Northern Taiwan, 326

Chang, H.-Y.
Bio-Oxidation of Airborne Volatile Organic Compounds in an Activated Sludge Aeration Tank, 604
Decomposition of Gas Phase 1,3-Butadiene by Ultraviolet/Ozone Process, 919

Chang, J.-C.
Effects of Aerosol Species on Atmospheric Visibility in Kaohsiung City, Taiwan, 1031

Chang, K.-L.
Mass-Size Distributions of Particulate Sulfate, Nitrate, and Ammonium in a Particulate Matter Nonattainment Region in Southern Taiwan, 502

Chang, M.-C.
Using Nanoscale Zero-Valent Iron for the Remediation of Polycyclic Aromatic Hydrocarbons Contaminated Soil, 1200

Chang, M.E.
Comparison of Ozone Temporal Scales for Large Urban, Small Urban, and Rural Areas in Georgia, 1498

Chang, N.-B.
Interactive Analysis of Waste Recycling and Energy Recovery Program in a Small-Scale Incinerator, 1356

Chang, T.-C.
Management and Performance of Taiwan's Waste Recycling Fund, 574
Seasonal Source-Receptor Relationships in a Petrochemical Industrial District over Northern Taiwan, 326

Chang-Chien, G.-P.
Emissions of Polychlorinated Dibenzo-*p*-Dioxins and Dibenzofurans from Stack Gases of Electric Arc Furnaces and Secondary Aluminum Smelters, 219

Chavez, A.C.
Geological Characterization and Environmental Implications of the Placement of the Morelia Dump, Michoacán, Central Mexico, 755

Chein, H.M.
Field Enhancements of Packed-Bed Performance for Low-Concentration Acidic and Basic-Waste Gases from Semiconductor Manufacturing Process, 647

Chellam, S.
Emissions of Organic Compounds and Trace Metals in Fine Particulate Matter from Motor Vehicles: A Tunnel Study in Houston, Texas, 60

Chen, C.-J.
Effect of Flow Distributors on Uniformity of Velocity Profile in a Baghouse, 886

Chen, C.-L.
Source Location and Characterization of Volatile Organic Compound Emissions at a Petrochemical Plant in Kaohsiung, Taiwan, 1487

Chen, F.
Air Quality Impact of the Coal-Fired Power Plants in the Northern Passageway of the China West-East Power Transmission Project, 1816

Chen, J.-C.
Interactive Analysis of Waste Recycling and Energy Recovery Program in a Small-Scale Incinerator, 1356

Chen, K.-S.
Three-Dimensional Modeling of Air Flow and Pollutant Dispersion in an Urban Street Canyon with Thermal Effects, 1178

Chen, T.M.
Field Enhancements of Packed-Bed Performance for Low-Concentration Acidic and Basic-Waste Gases from Semiconductor Manufacturing Process, 647

Chen, W.-H.
Interactive Analysis of Waste Recycling and Energy Recovery Program in a Small-Scale Incinerator, 1356

Chen, Y.
Air Quality Impact of the Coal-Fired Power Plants in the Northern Passageway of the China West-East Power Transmission Project, 1816

Cheng, M.-T.
Effect of Flow Distributors on Uniformity of Velocity Profile in a Baghouse, 886

Cheng, Y.-S.
Nanoparticles and the Environment, 1411

Cheung, C.-S.
A Modal Approach to Vehicular Emissions and Fuel Consumption Model Development, 1431

Chi, Y.
Properties of Pyrolytic Chars and Activated Carbons Derived from Pilot-Scale Pyrolysis of Used Tires, 1315

Chiang, B.-C.
Filtration of Fly Ash Using a Fluidized-Bed Filter, 181

Chiang, H.-L.
Characteristics of Road Dust from Different Sampling Sites in Northern Taiwan, 1236
Mass-Size Distributions of Particulate Sulfate, Nitrate, and Ammonium in a Particulate Matter Nonattainment Region in Southern Taiwan, 502
Seasonal Source-Receptor Relationships in a Petrochemical Industrial District over Northern Taiwan, 326

Chiang, P.-C.
Seasonal Source-Receptor Relationships in a Petrochemical Industrial District over Northern Taiwan, 326

Cho, A.K.
Inhalation of Concentrated Ambient Particulate Matter near a Heavily Tafficked Road Stimulates Antigen-Induced Airway Responses in Mice, 1277

Choi, Y.Y.
Seasonal and Spatial Variation of Solvent Extractable Organic Compounds in Fine Suspended Particulate Matter in Hong Kong, 291

Chou, M.-S.
Bio-Oxidation of Airborne Volatile Organic Compounds in an Activated Sludge Aeration Tank, 604
Decomposition of Gas Phase 1,3-Butadiene by Ultraviolet/Ozone Process, 919

Chow, J.C.
Loss of $PM_{2.5}$ Nitrate from Filter Samples in Central California, 1158
Nanoparticles and the Environment, 1411
Seasonal and Spatial Variation of Solvent Extractable Organic Compounds in Fine Suspended Particulate Matter in Hong Kong, 291

Chu, P.M.
Consistency of Ozone and Nitrogen Oxides Standards at Tropospherically Relevant Mixing Ratios, 1473

Chun, Y.N.
SynGas Production from Organic Waste Using Non-Thermal-Pulsed Discharge, 430

Cohen, R.C.
Consistency of Ozone and Nitrogen Oxides Standards at Tropospherically Relevant Mixing Ratios, 1473

Collett, J.L., Jr.
Particulate Nitrate Measurement Using Nylon Filters, 1100

Colome, S.D.
Relative Importance of School Bus-Related Microenvironments to Children's Pollutant Exposure, 1418

Comrie, A.C.
Extending the Kolmogorov–Zurbenko Filter: Application to Ozone, Particulate Matter, and Meteorological Trends, 1208

Connell, D.P.
The Steubenville Comprehensive Air Monitoring Program (SCAMP): Analysis of Short-Term and Episodic Variations in $PM_{2.5}$ Concentrations Using Hourly Air Monitoring Data, 559
The Steubenville Comprehensive Air Monitoring Program (SCAMP): Associations among Fine Particulate Matter, Co-Pollutants, and Meteorological Conditions, 481
The Steubenville Comprehensive Air Monitoring Program (SCAMP): Overview and Statistical Considerations, 467

Cook, J.R.
Criteria and Air-Toxic Emissions from In-Use Automobiles in the National Low-Emission Vehicle Program, 1263

Copeland, S.A.
A Statistical Analysis of Visibility-Impairing Particles in Federal Class I Areas, 1621

Corbett, J.J.
Optimal Fleetwide Emissions Reductions for Passenger Ferries: An Application of a Mixed-Integer Nonlinear Programming Model for the New York-New Jersey Harbor, 458

Corey, L.M.
Nanoparticles and the Environment, 1411

Corporan, E.
Impacts of Biodiesel on Pollutant Emissions of a JP-8–Fueled Turbine Engine, 940

Coull, B.
Analysis of PM_{10}, $PM_{2.5}$, and $PM_{2.5\ to\ 10}$ Concentrations in Santiago, Chile, from 1989 to 2001, 342

Cowherd, C., Jr.
Particulate Emissions from Construction Activities, 772

Crews, W.
Criteria and Air-Toxic Emissions from In-Use Automobiles in the National Low-Emission Vehicle Program, 1263

Crocker, C.R.
Surface Compositions of Carbon Sorbents Exposed to Simulated Low-Rank Coal Flue Gases, 747

Culligan, K.
Nitrogen Oxides Emission Control Options for Coal-Fired Electric Utility Boilers, 1367

Cunningham, M.M.
Beryllium-7 Measurements in the Houston and Phoenix Urban Areas: An Estimation of Upper Atmospheric Ozone Contributions, 1228

Cyrys, J.
Aerosol Particle Number Concentration Measurements in Five European Cities Using TSI-3022 Condensation Particle Counter over a Three-Year Period during Health Effects of Air Pollution on Susceptible Subpopulations, 1064

Dales, R.E.
Sources of Personal Exposure to Fine Particles in Toronto, Ontario, Canada, 1134

Dattner, S.L.
An Innovative Methodology for Analyzing Digital Visibility Images in an Urban Environment, 1733

Davila, E.
Interactive Analysis of Waste Recycling and Energy Recovery Program in a Small-Scale Incinerator, 1356

de Assunção, J.V.
Influence of Air Pollution on the Incidence of Respiratory Tract Neoplasm, 83

de Foy, B.
Modeling Inorganic Aerosols and Their Response to Changes in Precursor Concentration in Mexico City, 803

Delgado, O.B.
Geological Characterization and Environmental Implications of the Placement of the Morelia Dump, Michoacán, Central Mexico, 755

Demeestere, K.
Degradation of Isobutanal at High Loading Rates in a Compost Biofilter, 1217

Demokritou, P.
Analysis of PM_{10}, $PM_{2.5}$, and $PM_{2.5\ to\ 10}$ Concentrations in Santiago, Chile, from 1989 to 2001, 342

DeWitt, M.J.
Impacts of Biodiesel on Pollutant Emissions of a JP-8–Fueled Turbine Engine, 940

Díaz, L.
Hazardous Air Pollutants from Mobile Sources in the Metropolitan Area of Mexico City, 1289

Disdier, J.
Measuring the Effect of Photocatalytic Purifiers on Indoor Air Hydrocarbons and Carbonyl Pollutants, 88

Doty, K.G.
Integrated Assessment Modeling of Atmosphere Pollutants in the Southern Appalachian Mountains. Part I: Hourly and Seasonal Ozone, 1019

Duan, N.
Air Quality Impact of the Coal-Fired Power Plants in the Northern Passageway of the China West-East Power Transmission Project, 1816

Dubois, D.
Spatial Variability of Unpaved Road Dust PM_{10} Emission Factors near El Paso, Texas, 3

Durham, C.
Spatial Variability of Unpaved Road Dust PM_{10} Emission Factors near El Paso, Texas, 3

Dye, C.
Quantification of Monosaccharide Anhydrides by Liquid Chromatography Combined with Mass Spectrometry: Application to Aerosol Samples from an Urban and a Suburban Site Influenced by Small-Scale Wood Burning, 1169

Eatough, D.
The Effects of Scrubber Installation at the Navajo Generating Station on Particulate Sulfur and Visibility Levels in the Grand Canyon, 1675
Continuous Determination of Fine Particulate Matter Mass in the Salt Lake City Enivornmental Monitoring Project: A Comparison of Real-Time and Conventional TEOM Monitor Results, 1839

Eatough, N.L.
Continuous Determination of Fine Particulate Matter Mass in the Salt Lake City Enivornmental Monitoring Project: A Comparison of Real-Time and Conventional TEOM Monitor Results, 1839

Eder, B.K.
The New England Air Quality Forecasting Pilot Program: Development of an Evaluation Protocol and Performance Benchmark, 1782

Edgerton, E.S.
The Southeastern Aerosol Research and Characterization Study: Part II. Filter-Based Measurements of Fine and Coarse Particulate Matter Mass and Composition, 1527

Eisinger, D.S.
Evaluating Inspection and Maintenance Programs: A Policy-Making Framework, 147

El-Din, A.G.
Systematic Development of an Artificial Neural Network Model for Real-Time Prediction of Ground-Level Ozone in Edmonton, Alberta, Canada, 1847

El-Din, M.G.
Systematic Development of an Artificial Neural Network Model for Real-Time Prediction of Ground-Level Ozone in Edmonton, Alberta, Canada, 1847

Ellis, H.
Metrics Matter: Conflicting Air Quality Rankings from Different Indices of Air Pollution, 97

Engel-Cox, J.A.
Application of Satellite Remote-Sensing Data for Source Analysis of Fine Particulate Matter Transport Events, 1389

English, J.
Preliminary Economic Analysis of Poultry Litter Gasification Option with a Simple Transportation Model, 510

Etyemezian, V.
Scattering Cross-Section Emission Factors for Visibility and Radiative Transfer Applications: Military Vehicles Traveling on Unpaved Roads, 1743
Spatial Variability of Unpaved Road Dust PM_{10} Emission Factors near El Paso, Texas, 3

Fan, K.-S.
Determination of Schulze Equation for Chemical Oxygen Demand Reduction Using Stabilized Landfill Refuse Media, 194
Management and Performance of Taiwan's Waste Recycling Fund, 574

Fang, H.Y.
Source Location and Characterization of Volatile Organic Compound Emissions at a Petrochemical Plant in Kaohsiung, Taiwan, 1487

Farber, R.
The Effects of Scrubber Installation at the Navajo Generating Station on Particulate Sulfur and Visibility Levels in the Grand Canyon, 1675

Farrell, A.E.
Optimal Fleetwide Emissions Reductions for Passenger Ferries: An Application of a Mixed-Integer Nonlinear Programming Model for the New York-New Jersey Harbor, 458

Fitz, D.R.
Relative Importance of School Bus-Related Microenvironments to Children's Pollutant Exposure, 1418

Flocchini, R.
Ammonia Emission Factors for Open-Lot Dairies: Direct Measurements and Estimation by Nitrogen Intake, 826
Ammonia Flux from Open-Lot Dairies: Development of Measurement Methodology and Emission Factors, 816

Forastiere, F.
Aerosol Particle Number Concentration Measurements in Five European Cities Using TSI-3022 Condensation Particle Counter over a Three-Year Period during Health Effects of Air Pollution on Susceptible Subpopulations, 1064

Fraser, M.P.
Emissions of Organic Compounds and Trace Metals in Fine Particulate Matter from Motor Vehicles: A Tunnel Study in Houston, Texas, 60

Froines, J.R.
Inhalation of Concentrated Ambient Particulate Matter near a Heavily Tafficked Road Stimulates Antigen-Induced Airway Responses in Mice, 1277

Fruin, S.A.
Relative Importance of School Bus-Related Microenvironments to Children's Pollutant Exposure, 1418

Fujiwara, N.
The Impact of Wet Flue Gas Desulfurization Scrubbing on Mercury Emissions from Coal-Fired Power Stations, 970
Predicting Extents of Mercury Oxidation in Coal-Derived Flue Gases, 930
A Predictive Mechanism for Mercury Oxidation on Selective Catalytic Reduction Catalysts under Coal-Derived Flue Gas, 1866

Fung, W.H.
Seasonal and Spatial Variation of Solvent Extractable Organic Compounds in Fine Suspended Particulate Matter in Hong Kong, 291

Gabele, P.
Criteria and Air-Toxic Emissions from In-Use Automobiles in the National Low-Emission Vehicle Program, 1263

Gaffney, J.S.
Beryllium-7 Measurements in the Houston and Phoenix Urban Areas: An Estimation of Upper Atmospheric Ozone Contributions, 1228

Galbreath, K.C.
Nickel and Sulfur Speciation of Residual Oil Fly Ashes from Two Electric Utility Steam-Generating Units, 309

Gamble, H.A.
Open-Path Tunable Diode Laser Absorption Spectroscopy for Acquisition of Fugitive Emission Flux Data, 658

Gao, O.
Size and Composition Distribution of Airborne Particulate Matter in Northern California: I—Particulate Mass, Carbon, and Water-Soluble Ions, 30

Gao, X.
A Pilot Study of Mercury Liberation and Capture from Coal-Fired Power Plant Fly Ash, 258

Garcia, J.
Analysis of PM_{10}, $PM_{2.5}$, and $PM_{2.5\ to\ 10}$ Concentrations in Santiago, Chile, from 1989 to 2001, 342

Garcia, M.R.
Trace Gases and Particulate Matter Emissions from Wildfires and Agricultural Burning in Northeastern Mexico during the 2000 Fires Season, 1797

Gardetto, E.
High-Mileage Study of On-Board Diagnostic Emissions, 1480

Gay, S.W.
Predictions by the Odor From Feedlots, Setback Estimation Tool (OFFSET) Compared with Observations by Neighborhood Monitors, 1306

Gebhart, K.
Directional Biases in Back Trajectories Caused by Model and Input Data, 1649
The Effects of Scrubber Installation at the Navajo Generating Station on Particulate Sulfur and Visibility Levels in the Grand Canyon, 1675
Reconciliation and Interpretation of Big Bend National Park Light Extinction Source Apportionment: Results from the Big Bend Regional Aerosol and Visibility Observational Study—Part II, 1726
Reconciliation and Interpretation of Big Bend National Park Particulate Sulfur Source Apportionment: Results from the Big Bend Regional Aerosol and Visibility Observational Study—Part I, 1709
Spatial, Temporal, and Interspecies Patterns in Fine Particulate Matter in Texas, 1636

Georgakopoulos, A.
Impact of Free Calcium Oxide Content of Fly Ash on Dust and Sulfur Dioxide Emissions in a Lignite-Fired Power Plant, 1042

Ghim, Y.S.
Visibility Trends in Korea during the Past Two Decades, 73

Gilbert, N.L.
Assessing Spatial Variability of Ambient Nitrogen Dioxide in Montréal, Canada, with a Land-Use Regression Model, 1059

Gillies, J.
Scattering Cross-Section Emission Factors for Visibility and Radiative Transfer Applications: Military Vehicles Traveling on Unpaved Roads, 1743
Spatial Variability of Unpaved Road Dust PM_{10} Emission Factors near El Paso, Texas, 3

Goeckner, B.
A Pilot Study of Mercury Liberation and Capture from Coal-Fired Power Plant Fly Ash, 258

Goldberg, M.S.
Assessing Spatial Variability of Ambient Nitrogen Dioxide in Montréal, Canada, with a Land-Use Regression Model, 1059

Gomes, J.F.P.
Evaluation of Compliance with National Legislation on Emissions in Portugal, 497

González-Macías, U.
Effect of Liquefied Petroleum Gas on Ozone Formation in Guadalajara and Mexico City, 841

González-Ortíz, E.
Effect of Liquefied Petroleum Gas on Ozone Formation in Guadalajara and Mexico City, 841

Gramsch, E.
Analysis of PM_{10}, $PM_{2.5}$, and $PM_{2.5\ to\ 10}$ Concentrations in Santiago, Chile, from 1989 to 2001, 342

Gray, R.W.
An Innovative Methodology for Analyzing Digital Visibility Images in an Urban Environment, 1733

Green, M.
The Effects of Scrubber Installation at the Navajo Generating Station on Particulate Sulfur and Visibility Levels in the Grand Canyon, 1675

Greenberg, H.
A Greenhouse Gas Emissions Inventory for Pennsylvania, 1122

Grell, G.A.
The New England Air Quality Forecasting Pilot Program: Development of an Evaluation Protocol and Performance Benchmark, 1782

Guy, C.
Combustion Characteristics of Spent Catalyst and Paper Sludge in an Internally Circulating Fluidized-Bed Combustor, 1269

Hall, R.E.
Nitrogen Oxides Emission Control Options for Coal-Fired Electric Utility Boilers, 1367

Hallmark, S.L.
Evaluating Speed Differences between Passenger Vehicles and Heavy Trucks for Transportation-Related Emissions Modeling, 1441

Hamade, A.
Inhalation of Concentrated Ambient Particulate Matter near a Heavily Tafficked Road Stimulates Antigen-Induced Airway Responses in Mice, 1277

Hämeri, K.
Aerosol Particle Number Concentration Measurements in Five European Cities Using TSI-3022 Condensation Particle Counter over a Three-Year Period during Health Effects of Air Pollution on Susceptible Subpopulations, 1064

Hamilton, R.F. Jr.
The Missoula Valley Semivolatile and Volatile Organic Compound Study: Seasonal Average Concentrations, 1007

Hannigan, M.P.
Source Contributions to the Mutagenicity of Urban Particulate Air Pollution, 399

Hänninen, O.O.
Characterization of Model Error in a Simulation of Fine Particulate Matter Exposure Distributions of the Working Age Population in Helsinki, Finland, 446

Hansen, D.A.
The Southeastern Aerosol Research and Characterization Study: Part II. Filter-Based Measurements of Fine and Coarse Particulate Matter Mass and Composition, 1527

Hao, J.
Air Quality Impact of the Coal-Fired Power Plants in the Northern Passageway of the China West-East Power Transmission Project, 1816
Improving Urban Air Quality in China: Beijing Case Study, 1298

Harris, D.B.
Open-Path Tunable Diode Laser Absorption Spectroscopy for Acquisition of Fugitive Emission Flux Data, 658

Hartsell, B.E.
The Southeastern Aerosol Research and Characterization Study: Part II. Filter-Based Measurements of Fine and Coarse Particulate Matter Mass and Composition, 1527

Hashmonay, R.A.
Open-Path Tunable Diode Laser Absorption Spectroscopy for Acquisition of Fugitive Emission Flux Data, 658

He, K.
Characterization of Carbonaceous Species of Ambient $PM_{2.5}$ in Beijing, China, 984

Henderson, D.E.
Effects of Ceiling-Mounted HEPA-UV Air Filters on Airborne Bacteria Concentrations in an Indoor Therapy Pool Building, 210
Prescribed Burns and Wildfires in Colorado: Impacts of Mitigation Measures on Indoor Air Particulate Matter, 1516

Henry, R.C.
Estimating the Probability of the Public Perceiving a Decrease in Atmospheric Haze, 1760

Henry, R.F.
An Assessment of the Sensitivity and Reliability of the Relative Reduction Factor Approach in the Development of 8-hr Ozone Attainment Plans, 13

Hernandez, M.
Effects of Ceiling-Mounted HEPA-UV Air Filters on Airborne Bacteria Concentrations in an Indoor Therapy Pool Building, 210

Herner, J.D.
Size and Composition Distribution of Airborne Particulate Matter in Northern California: I—Particulate Mass, Carbon, and Water-Soluble Ions, 30

Hidy, G.M.
Effects of SO_2 and NO_x Emission Reductions on $PM_{2.5}$ Mass Concentrations in the Southeastern United States, 265
The Midlatitude North American Background Aerosol and Global Aerosol Variation, 1585
The Southeastern Aerosol Research and Characterization Study: Part II. Filter-Based Measurements of Fine and Coarse Particulate Matter Mass and Composition, 1527

Hobbs, B.F.
Metrics Matter: Conflicting Air Quality Rankings from Different Indices of Air Pollution, 97

Hoff, R.M.
Application of Satellite Remote-Sensing Data for Source Analysis of Fine Particulate Matter Transport Events, 1389

Hogrefe, C.
An Assessment of the Sensitivity and Reliability of the Relative Reduction Factor Approach in the Development of 8-hr Ozone Attainment Plans, 13

Holmes, M.J.
Surface Compositions of Carbon Sorbents Exposed to Simulated Low-Rank Coal Flue Gases, 747

Hopke, P.K.
Estimation of Organic Carbon Blank Values and Error Structures of the Speciation Trends Network Data for Source Apportionment, 1190
Improving Source Apportionment of Fine Particles in the Eastern United States Utilizing Temperature-Resolved Carbon Fractions, 1456
Investigation of Sources of Atmospheric Aerosol at a Hot Spot Area in Dhaka, Bangladesh, 227

Hounshell, D.A.
Technology Innovations and Experience Curves for Nitrogen Oxides Control Technologies, 1827

Hsieh, H.-F.
Molecular Study of Thermal Immobilization of Chromium(VI) with Clay, 411

Hsieh, W.-P.
Using Nanoscale Zero-Valent Iron for the Remediation of Polycyclic Aromatic Hydrocarbons Contaminated Soil, 1200

Huang, B.-J.
Decomposition of Gas Phase 1,3-Butadiene by Ultraviolet/Ozone Process, 919

Huang, C.-C.
Field Enhancements of Packed-Bed Performance for Low-Concentration Acidic and Basic-Waste Gases from Semiconductor Manufacturing Process, 647

Huang, C.-H.
Predicting Cutoff Aerodynamic Diameter and Sharpness of Single Round-Nozzle Impactors with a Finite Impaction Plate Diameter, 1858

Huang, H.-C.
Temperature Dependence of Nickel Stabilization in Inorganic Oxide Matrices, 1451

Huffman, G.P.
Nickel and Sulfur Speciation of Residual Oil Fly Ashes from Two Electric Utility Steam-Generating Units, 309

Huggins, F.E.
Nickel and Sulfur Speciation of Residual Oil Fly Ashes from Two Electric Utility Steam-Generating Units, 309

Hunag, C.-H.
An Efficient Venturi Scrubber System to Remove Submicron Particles in Exhaust Gas, 319

Hung, W.-T.
A Modal Approach to Vehicular Emissions and Fuel Consumption Model Development, 1431

Idriss, A.
Systematic Development of an Artificial Neural Network Model for Real-Time Prediction of Ground-Level Ozone in Edmonton, Alberta, Canada, 1847

Isebrands, H.
Evaluating Speed Differences between Passenger Vehicles and Heavy Trucks for Transportation-Related Emissions Modeling, 1441

Israde-Alcantara, I.
Geological Characterization and Environmental Implications of the Placement of the Morelia Dump, Michoacán, Central Mexico, 755

Iyer, H.
The Effects of Scrubber Installation at the Navajo Generating Station on Particulate Sulfur and Visibility Levels in the Grand Canyon, 1675

Jacobson, L.D.
Predictions by the Odor From Feedlots, Setback Estimation Tool (OFFSET) Compared with Observations by Neighborhood Monitors, 1306

Jaimes-López, J.L.
Effect of Liquefied Petroleum Gas on Ozone Formation in Guadalajara and Mexico City, 841

Jansen, J.J.
The Southeastern Aerosol Research and Characterization Study: Part II. Filter-Based Measurements of Fine and Coarse Particulate Matter Mass and Composition, 1527

Jantunen, M.J.
Characterization of Model Error in a Simulation of Fine Particulate Matter Exposure Distributions of the Working Age Population in Helsinki, Finland, 446

Jensen, J.A.
Field Validation of Sound Mitigation Models and Air Pollutant Emission Testing in Support of Missile Motor Disposal Activities, 1111

Jerrett, M.
Assessing Spatial Variability of Ambient Nitrogen Dioxide in Montréal, Canada, with a Land-Use Regression Model, 1059

Jiang, P.
Simulation of the Evolution of Particle Size Distributions in a Vehicle Exhaust Plume with Unconfined Dilution by Ambient Air, 437

Jiménez, P.
Control of Ozone Precursors in a Complex Industrial Terrain by Using Multiscale-Nested Air Quality Models with Fine Spatial Resolution (1 km^2), 1085

Jones, J.M.
An Assessment of the Sensitivity and Reliability of the Relative Reduction Factor Approach in the Development of 8-hr Ozone Attainment Plans, 13

Jones, K.
Sulfur Toxicity and Media Capacity for H_2S Removal in Biofilters Packed with a Natural or a Commercial Granular Medium, 415

Jung, D.S.
Combustion Characteristics of Spent Catalyst and Paper Sludge in an Internally Circulating Fluidized-Bed Combustor, 1269

Kallos, G.
Analysis of Air Quality Observations with the Aid of the Source-Receptor Relationship Approach, 523

Kang, D.
The New England Air Quality Forecasting Pilot Program: Development of an Evaluation Protocol and Performance Benchmark, 1782

Keener, T.C.
The Effect of Diesel Fuel Sulfur Content on Particulate Matter Emissions for a Nonroad Diesel Generator, 993

Kelly, K.E.
Real-Time Measurements of Jet Aircraft Engine Exhaust, 583
Simulation of the Evolution of Particle Size Distributions in a Vehicle Exhaust Plume with Unconfined Dilution by Ambient Air, 437

Kemp, M.A.
Methods and Results from a New Survey of Values for Eastern Regional Haze Improvements, 1767

Khaliquzzaman, M.
Investigation of Sources of Atmospheric Aerosol at a Hot Spot Area in Dhaka, Bangladesh, 227

Khan, S.
Nitrogen Oxides Emission Control Options for Coal-Fired Electric Utility Boilers, 1367

Khang, S.-J.
The Effect of Diesel Fuel Sulfur Content on Particulate Matter Emissions for a Nonroad Diesel Generator, 993

Kim, D.
Evaluation of Biopolymer-Modified Concrete Systems for Disposal of Cathode Ray Tube Glass, 961
Evaluation of Trickle-Bed Air Biofilter Performance under Periodic Stressed Operating Conditions as a Function of Styrene Loading, 200
Re: Evaluation of Biopolymer-Modified Concrete Systems for Disposal of Cathode Ray Tube Glass, 1254

Sources of Personal Exposure to Fine Particles in Toronto, Ontario, Canada, 1134

Kim, E.
Estimation of Organic Carbon Blank Values and Error Structures of the Speciation Trends Network Data for Source Apportionment, 1190
Improving Source Apportionment of Fine Particles in the Eastern United States Utilizing Temperature-Resolved Carbon Fractions, 1456
Investigation of Sources of Atmospheric Aerosol at a Hot Spot Area in Dhaka, Bangladesh, 227

Kim, S.D.
Combustion Characteristics of Spent Catalyst and Paper Sludge in an Internally Circulating Fluidized-Bed Combustor, 1269

Kim, S.W.
SynGas Production from Organic Waste Using Non-Thermal-Pulsed Discharge, 430

Kim, Y.P.
Visibility Trends in Korea during the Past Two Decades, 73

Kinsey, J.S.
Particulate Emissions from Construction Activities, 772

Kjeldsen, P.
Biodegradation of Trace Gases in Simulated Landfill Soil Cover Systems, 878

Kleeman, M.J.
Size and Composition Distribution of Airborne Particulate Matter in Northern California: I—Particulate Mass, Carbon, and Water-Soluble Ions, 30

Kleinman, M.T.
Inhalation of Concentrated Ambient Particulate Matter near a Heavily Tafficked Road Stimulates Antigen-Induced Airway Responses in Mice, 1277

Knipping, E.M.
Development of a United States-Mexico Emissions Inventory for the Big Bend Regional Aerosol and Visibility Observational (BRAVO) Study, 677
Reconciliation and Interpretation of Big Bend National Park Light Extinction Source Apportionment: Results from the Big Bend Regional Aerosol and Visibility Observational Study—Part II, 1726
Reconciliation and Interpretation of Big Bend National Park Particulate Sulfur Source Apportionment: Results from the Big Bend Regional Aerosol and Visibility Observational Study—Part I, 1709

Kollakowsky, D.
A Pilot Study of Mercury Liberation and Capture from Coal-Fired Power Plant Fly Ash, 258

Kolovos, N.
Impact of Free Calcium Oxide Content of Fly Ash on Dust and Sulfur Dioxide Emissions in a Lignite-Fired Power Plant, 1042

Koo, B.
Evaluation of Multisectional and Two-Section Particulate Matter Photochemical Grid Models in the Western United States, 1683

Kordich, M.M.
Field Validation of Sound Mitigation Models and Air Pollutant Emission Testing in Support of Missile Motor Disposal Activities, 1111

Kotamarthi, V.R.
Beryllium-7 Measurements in the Houston and Phoenix Urban Areas: An Estimation of Upper Atmospheric Ozone Contributions, 1228

Koutrakis, P.
Analysis of PM_{10}, $PM_{2.5}$, and $PM_{2.5\ to\ 10}$ Concentrations in Santiago, Chile, from 1989 to 2001, 342

Koziel, J.A.
Evaluation of Sample Recovery of Malodorous Livestock Gases from Air Sampling Bags, Solid-Phase Microextraction Fibers, Tenax TA Sorbent Tubes, and Sampling Canisters, 1147

Kreidenweis, S.M.
Particulate Nitrate Measurement Using Nylon Filters, 1100

Kremer, G.
Membrane-Based Wet Electrostatic Precipitation, 784

Ku, J.-Y.
An Assessment of the Sensitivity and Reliability of the Relative Reduction Factor Approach in the Development of 8-hr Ozone Attainment Plans, 13

Kuhns, H.
Development of a United States–Mexico Emissions Inventory for the Big Bend Regional Aerosol and Visibility Observational (BRAVO) Study, 677
Scattering Cross-Section Emission Factors for Visibility and Radiative Transfer Applications: Military Vehicles Traveling on Unpaved Roads, 1743
Spatial Variability of Unpaved Road Dust PM_{10} Emission Factors near El Paso, Texas, 3

Kuhrt, F.W.
Evaluation of Sample Recovery of Malodorous Livestock Gases from Air Sampling Bags, Solid-Phase Microextraction Fibers, Tenax TA Sorbent Tubes, and Sampling Canisters, 1147

Kuiken, T.
Airborne Emissions of Mercury from Municipal Solid Waste. I: New Measurements from Six Operating Landfills in Florida, 859
Airborne Emissions of Mercury from Municipal Solid Waste. II: Potential Losses of Airborne Mercury before Landfill, 870

Kujundzic, E.
Effects of Ceiling-Mounted HEPA-UV Air Filters on Airborne Bacteria Concentrations in an Indoor Therapy Pool Building, 210

Kulkarni, P.
Emissions of Organic Compounds and Trace Metals in Fine Particulate Matter from Motor Vehicles: A Tunnel Study in Houston, Texas, 60

Kulmala, M.
Aerosol Particle Number Concentration Measurements in Five European Cities Using TSI-3022 Condensation Particle Counter over a Three-Year Period during Health Effects of Air Pollution on Susceptible Subpopulations, 1064

Kumar, N.
Improved Light Extinction Reconstruction in Interagency Monitoring of Protected Visual Environments, 1751

Lacey, R.E.
The Recovery of Ammonia and Hydrogen Sulfide from Ground-Level Area Sources Using Dynamic Isolation Flux Chambers: Bench-Scale Studies, 999

Lam, C.H.
Seasonal and Spatial Variation of Solvent Extractable Organic Compounds in Fine Suspended Particulate Matter in Hong Kong, 291

Lambert, T.
The Implosion of the Calgary General Hospital: Ambient Air Quality Issues, 52

Lancia, A.
Spray-Dry Desulfurization of Flue Gas from Heavy Oil Combustion, 20

Lani, B.W.
Nitrogen Oxides Emission Control Options for Coal-Fired Electric Utility Boilers, 1367

Lanki, T.
Aerosol Particle Number Concentration Measurements in Five European Cities Using TSI-3022 Condensation Particle Counter over a Three-Year Period during Health Effects of Air Pollution on Susceptible Subpopulations, 1064

Larson, V.
Impacts of Biodiesel on Pollutant Emissions of a JP-8–Fueled Turbine Engine, 940

Lawson, D.R.
Real-World Vehicle Emissions: A Summary of the 14th Coordinating Research Council On-Road Vehicle Emissions Workshop, 130

Lebret, E.
Characterization of Model Error in a Simulation of Fine Particulate Matter Exposure Distributions of the Working Age Population in Helsinki, Finland, 446

Lee, C.-G.
Effects of Aerosol Species on Atmospheric Visibility in Kaohsiung City, Taiwan, 1031

Lee, G.W.M.
Electrostatic Enhancement of Collection Efficiency of the Fibrous Filter Pretreated with Ionic Surfactants, 594

Lee, J.-F.
Molecular Study of Thermal Immobilization of Chromium(VI) with Clay, 411
Temperature Dependence of Nickel Stabilization in Inorganic Oxide Matrices, 1451

Lee, S.
Visibility Trends in Korea during the Past Two Decades, 73

Lee, S.R.
Compressibility of Municipal Solid Waste Codisposed with Fly Ash, 283

Lee, T.
Particulate Nitrate Measurement Using Nylon Filters, 1100

Lee, W.-J.
Emissions of Polychlorinated Dibenzo-*p*-Dioxins and Dibenzofurans from Stack Gases of Electric Arc Furnaces and Secondary Aluminum Smelters, 219

Lee, W.-S.
Emissions of Polychlorinated Dibenzo-*p*-Dioxins and Dibenzofurans from Stack Gases of Electric Arc Furnaces and Secondary Aluminum Smelters, 219

Leston, A.R.
Potential Interference Bias in Ozone Standard Compliance Monitoring, 1464

Li, J.
Air Quality Impact of the Coal-Fired Power Plants in the Northern Passageway of the China West-East Power Transmission Project, 1816
A Pilot Study of Mercury Liberation and Capture from Coal-Fired Power Plant Fly Ash, 258

Li, S.-N.
An Efficient Venturi Scrubber System to Remove Submicron Particles in Exhaust Gas, 319

Li, S.-Q.
Properties of Pyrolytic Chars and Activated Carbons Derived from Pilot-Scale Pyrolysis of Used Tires, 1315

Li, W.-W.
An Innovative Methodology for Analyzing Digital Visibility Images in an Urban Environment, 1733
PM Source Identification at Sunland Park, New Mexico, Using a Simple Heuristic Meteorological and Chemical Analysis, 352

Liang, F.
The Effect of Diesel Fuel Sulfur Content on Particulate Matter Emissions for a Nonroad Diesel Generator, 993

Liang, W.-S.
Molecular Study of Thermal Immobilization of Chromium(VI) with Clay, 411

Lien, N.
The Effects of Scrubber Installation at the Navajo Generating Station on Particulate Sulfur and Visibility Levels in the Grand Canyon, 1675

Lighty, J.S.
Real-Time Measurements of Jet Aircraft Engine Exhaust, 583
Simulation of the Evolution of Particle Size Distributions in a Vehicle Exhaust Plume with Unconfined Dilution by Ambient Air, 437

Lignell, D.O.
Simulation of the Evolution of Particle Size Distributions in a Vehicle Exhaust Plume with Unconfined Dilution by Ambient Air, 437

Liljestrand, H.M.
Chemical Mass Balance Model with Fractionation for Apportioning $PM_{2.5}$: A Test Case for Los Angeles Traffic Sources, 1335

Lin, C.-H.
An Efficient Venturi Scrubber System to Remove Submicron Particles in Exhaust Gas, 319
Management and Performance of Taiwan's Waste Recycling Fund, 574

Lin, D.-F.
Glazed Tiles Manufactured from Incinerated Sewage Sludge Ash and Clay, 163

Lin, J.J.
Mass-Size Distributions of Particulate Sulfate, Nitrate, and Ammonium in a Particulate Matter Nonattainment Region in Southern Taiwan, 502

Lin, Y.-C.
Applying Hexagonal Nanostructured Zeolite Particles for Acetone Removal, 834

Lin, Y.-H.
Mass-Size Distributions of Particulate Sulfate, Nitrate, and Ammonium in a Particulate Matter Nonattainment Region in Southern Taiwan, 502

Lindberg, S.E.
Airborne Emissions of Mercury from Municipal Solid Waste. I: New Measurements from Six Operating Landfills in Florida, 859

Airborne Emissions of Mercury from Municipal Solid Waste. II: Potential Losses of Airborne Mercury before Landfill, 870

Lindner, J.
High-Mileage Study of On-Board Diagnostic Emissions, 1480
Review of Light-Duty Diesel and Heavy-Duty Diesel Gasoline Inspection Programs, 1876

Lindsay, M.H.
Field Validation of Sound Mitigation Models and Air Pollutant Emission Testing in Support of Missile Motor Disposal Activities, 1111

Lipfert, F.
Methylmercury, Fish Consumption, and the Precautionary Principle, 388

Liu, K.-Y.
Filtration of Fly Ash Using a Fluidized-Bed Filter, 181

Liu, S.
Air Quality Impact of the Coal-Fired Power Plants in the Northern Passageway of the China West-East Power Transmission Project, 1816

Liu, S.V.
Parameter Evaluation and Model Validation of Ozone Exposure Assessment Using Harvard Southern California Chronic Ozone Exposure Study Data, 1508

Lloyd, J.D.
Evaluation of Sample Recovery of Malodorous Livestock Gases from Air Sampling Bags, Solid-Phase Microextraction Fibers, Tenax TA Sorbent Tubes, and Sampling Canisters, 1147

Long, R.W.
Continuous Determination of Fine Particulate Matter Mass in the Salt Lake City Enivornmental Monitoring Project: A Comparison of Real-Time and Conventional TEOM Monitor Results, 1839

Lonneman, W.A.
Summer and Winter Nonmethane Hydrocarbon Emissions from On-Road Motor Vehicles in the Midwestern United States, 629

López-Salinas, E.
Hazardous Air Pollutants from Mobile Sources in the Metropolitan Area of Mexico City, 1289

Lou, J.-C.
Incinerating Volatile Organic Compounds with Ferrospinel Catalyst $MnFe_2O_4$: An Example with Isopropyl Alcohol, 1809

Lough, G.C.
Summer and Winter Nonmethane Hydrocarbon Emissions from On-Road Motor Vehicles in the Midwestern United States, 629

Louie, P.K.K.
Seasonal and Spatial Variation of Solvent Extractable Organic Compounds in Fine Suspended Particulate Matter in Hong Kong, 291

Lowenthal, D.
Improved Light Extinction Reconstruction in Interagency Monitoring of Protected Visual Environments, 1751
Loss of $PM_{2.5}$ Nitrate from Filter Samples in Central California, 1158

Lozano, D.F.
Trace Gases and Particulate Matter Emissions from Wildfires and Agricultural Burning in Northeastern Mexico during the 2000 Fire Season, 1797

Lu, M.
The Effect of Diesel Fuel Sulfur Content on Particulate Matter Emissions for a Nonroad Diesel Generator, 993

Luo, H.-L.
Glazed Tiles Manufactured from Incinerated Sewage Sludge Ash and Clay, 163

Ma, Y.
Characterization of Carbonaceous Species of Ambient $PM_{2.5}$ in Beijing, China, 984

Magliano, K.L.
Loss of $PM_{2.5}$ Nitrate from Filter Samples in Central California, 1158

Maldonado, Y.M.
Temporal Analysis of Airborne Particulate Matter Reveals a Dose-Rate Effect on Mortality in El Paso: Indications of Differential Toxicity for Different Particle Mixtures, 893

Malm, W.
Particulate Nitrate Measurement Using Nylon Filters, 1100
Reconciliation and Interpretation of Big Bend National Park Light Extinction Source Apportionment: Results from the Big Bend Regional Aerosol and Visibility Observational Study—Part II, 1726
Reconciliation and Interpretation of Big Bend National Park Particulate Sulfur Source Apportionment: Results from the Big Bend Regional Aerosol and Visibility Observational Study—Part I, 1709
Spatial, Temporal, and Interspecies Patterns in Fine Particulate Matter in Texas, 1636

Mann, M.
Impacts of Biodiesel on Pollutant Emissions of a JP-8–Fueled Turbine Engine, 940

Marañón, E.
Extraction Wells and Biogas Recovery Modeling in Sanitary Landfills, 173

Marconi, A.
Aerosol Particle Number Concentration Measurements in Five European Cities Using TSI-3022 Condensation Particle Counter over a Three-Year Period during Health Effects of Air Pollution on Susceptible Subpopulations, 1064

Marley, N.A.
Beryllium-7 Measurements in the Houston and Phoenix Urban Areas: An Estimation of Upper Atmospheric Ozone Contributions, 1228

Martinez, A.
Sulfur Toxicity and Media Capacity for H_2S Removal in Biofilters Packed with a Natural or a Commercial Granular Medium, 415

Martínez, J.-L.
Pollution Prevention and Control Procedure Case Study: An Application for Petroleum Refineries, 792

Mas, D.
Measuring the Effect of Photocatalytic Purifiers on Indoor Air Hydrocarbons and Carbonyl Pollutants, 88

Maxwell-Meier, K.L.
Comparison of Ozone Temporal Scales for Large Urban, Small Urban, and Rural Areas in Georgia, 1498

McDonald-Buller, E.C.
Air Quality Modeling of Interpollutant Trading for Ozone Precursors in an Urban Area, 1543

McFadden, J.
Use of Subsampled Traffic Data to Estimate Roadway Emissions, Including Conversion to MOBILE6 Vehicle Classifications, 1245

McFarland, M.J.
Complying with Executive Order 13148 Using the Enterprise Environmental Safety and Occupational Health Management Information System, 302
Field Validation of Sound Mitigation Models and Air Pollutant Emission Testing in Support of Missile Motor Disposal Activities, 1111
Maintaining High-Volume, Low-Pressure Surface-Coating Regulatory Compliance Using the U.S. Environmental Protection Agency's Data Quality Objectives Process, 365

McHenry, J.
The New England Air Quality Forecasting Pilot Program: Development of an Evaluation Protocol and Performance Benchmark, 1782

McMurry, P.H.
Nanoparticles and the Environment, 1411

McNally, D.E.
Preliminary Evaluation of the Community Multiscale Air Quality Model for 2002 over the Southeastern United States, 1694

McRae, G.J.
Modeling Inorganic Aerosols and Their Response to Changes in Precursor Concentration in Mexico City, 803

Meacher, D.
Inhalation of Concentrated Ambient Particulate Matter near a Heavily Tafficked Road Stimulates Antigen-Induced Airway Responses in Mice, 1277

Mendoza, A.
Trace Gases and Particulate Matter Emissions from Wildfires and Agricultural Burning in Northeastern Mexico during the 2000 Fires Season, 1797

Meyer, D.
Ammonia Emission Factors for Open-Lot Dairies: Direct Measurements and Estimation by Nitrogen Intake, 826
Ammonia Flux from Open-Lot Dairies: Development of Measurement Methodology and Emission Factors, 816

Meyer, M.B.
Continuous Determination of Fine Particulate Matter Mass in the Salt Lake City Enivornmental Monitoring Project: A Comparison of Real-Time and Conventional TEOM Monitor Results, 1839

Mihalopoulos, N.
Analysis of Air Quality Observations with the Aid of the Source-Receptor Relationship Approach, 523

Milford, J.B.
Prescribed Burns and Wildfires in Colorado: Impacts of Mitigation Measures on Indoor Air Particulate Matter, 1516

Miller, S.L.
Effects of Ceiling-Mounted HEPA-UV Air Filters on Airborne Bacteria Concentrations in an Indoor Therapy Pool Building, 210
Prescribed Burns and Wildfires in Colorado: Impacts of Mitigation Measures on Indoor Air Particulate Matter, 1516

Minassian, F.
Real-World Vehicle Emissions: A Summary of the 14th Coordinating Research Council On-Road Vehicle Emissions Workshop, 130

Mirra, A.P.
Influence of Air Pollution on the Incidence of Respiratory Tract Neoplasm, 83

Modrak, M.T.
Open-Path Tunable Diode Laser Absorption Spectroscopy for Acquisition of Fugitive Emission Flux Data, 658

Moe, W.M.
Biofilter Treatment of Volatile Organic Compound Emissions from Reformulated Paint: Complex Mixtures, Intermittent Operation, and Startup, 950

Molenar, J.
The Effects of Scrubber Installation at the Navajo Generating Station on Particulate Sulfur and Visibility Levels in the Grand Canyon, 1675

Molina, L.T.
Modeling Inorganic Aerosols and Their Response to Changes in Precursor Concentration in Mexico City, 803

Molina, M.J.
Modeling Inorganic Aerosols and Their Response to Changes in Precursor Concentration in Mexico City, 803

Monroig, O.
Impacts of Biodiesel on Pollutant Emissions of a JP-8–Fueled Turbine Engine, 940

Montgomery, C.J.
Simulation of the Evolution of Particle Size Distributions in a Vehicle Exhaust Plume with Unconfined Dilution by Ambient Air, 437

Moon, K.-C.
Visibility Trends in Korea during the Past Two Decades, 73

Moosmüller, H.
Scattering Cross-Section Emission Factors for Visibility and Radiative Transfer Applications: Military Vehicles Traveling on Unpaved Roads, 1743

Morales, H.
PM Source Identification at Sunland Park, New Mexico, Using a Simple Heuristic Meteorological and Chemical Analysis, 352

Morris, R.
Evaluation of Multisectional and Two-Section Particulate Matter Photochemical Grid Models in the Western United States, 1683
Preliminary Evaluation of the Community Multiscale Air Quality Model for 2002 over the Southeastern United States, 1694

Morris, S.
Methylmercury, Fish Consumption, and the Precautionary Principle, 388

Moskowitz, P.
Methylmercury, Fish Consumption, and the Precautionary Principle, 388

Mukhtar, S.
The Recovery of Ammonia and Hydrogen Sulfide from Ground-Level Area Sources Using Dynamic Isolation Flux Chambers: Bench-Scale Studies, 999

Mulawa, P.A.
Characterization of Carbonaceous Species of Ambient $PM_{2.5}$ in Beijing, China, 984

Muleski, G.E.
Particulate Emissions from Construction Activities, 772

Mutlu, A.
The Recovery of Ammonia and Hydrogen Sulfide from Ground-Level Area Sources Using Dynamic Isolation Flux Chambers: Bench-Scale Studies, 999

Nagaraj, A.
Correlating Emissions with Time and Temperature to Predict Worst-Case Emissions from Open Liquid Area Sources, 1077

Natarajan, M.
Real-World Vehicle Emissions: A Summary of the 14th Coordinating Research Council On-Road Vehicle Emissions Workshop, 130

Natschke, D.F.
Open-Path Tunable Diode Laser Absorption Spectroscopy for Acquisition of Fugitive Emission Flux Data, 658

NcNider, R.T.
Integrated Assessment Modeling of Atmosphere Pollutants in the Southern Appalachian Mountains. Part I: Hourly and Seasonal Ozone, 1019

Neff, R.
A Greenhouse Gas Emissions Inventory for Pennsylvania, 1122

Nelson, T.M.
Complying with Executive Order 13148 Using the Enterprise Environmental Safety and Occupational Health Management Information System, 302
Maintaining High-Volume, Low-Pressure Surface-Coating Regulatory Compliance Using the U.S. Environmental Protection Agency's Data Quality Objectives Process, 365

Nigro, R.
Spray-Dry Desulfurization of Flue Gas from Heavy Oil Combustion, 20

Nikolic, D.
Spatial Variability of Unpaved Road Dust PM_{10} Emission Factors near El Paso, Texas, 3

Niksa, S.
The Impact of Wet Flue Gas Desulfurization Scrubbing on Mercury Emissions from Coal-Fired Power Stations, 970
Predicting Extents of Mercury Oxidation in Coal-Derived Flue Gases, 930
A Predictive Mechanism for Mercury Oxidation on Selective Catalytic Reduction Catalysts under Coal-Derived Flue Gas, 1866

Nimmermark, S.A.
Predictions by the Odor From Feedlots, Setback Estimation Tool (OFFSET) Compared with Observations by Neighborhood Monitors, 1306

Norris, W.B.
Integrated Assessment Modeling of Atmosphere Pollutants in the Southern Appalachian Mountains. Part I: Hourly and Seasonal Ozone, 1019

Nyberg, C.M.
Nickel and Sulfur Speciation of Residual Oil Fly Ashes from Two Electric Utility Steam-Generating Units, 309

Nyberg, F.
Aerosol Particle Number Concentration Measurements in Five European Cities Using TSI-3022 Condensation Particle Counter over a Three-Year Period during Health Effects of Air Pollution on Susceptible Subpopulations, 1064

Oanh, N.T.K.
Comparison of Two Photochemical Modeling Systems in a Tropical Urban Area, 903

Odman, M.T.
Integrated Assessment Modeling of Atmosphere Pollutants in the Southern Appalachian Mountains. Part I: Hourly and Seasonal Ozone, 1019

O'Kelly, B.C.
Sewage Sludge to Landfill: Some Pertinent Engineering Properties, 765

Oldham, M.
Inhalation of Concentrated Ambient Particulate Matter near a Heavily Tafficked Road Stimulates Antigen-Induced Airway Responses in Mice, 1277

Olivas, A.C.
Complying with Executive Order 13148 Using the Enterprise Environmental Safety and Occupational Health Management Information System, 302
Maintaining High-Volume, Low-Pressure Surface-Coating Regulatory Compliance Using the U.S. Environmental Protection Agency's Data Quality Objectives Process, 365

Oliveira, J.R.
Enhancing Bioremediation of Diesel Oil and Gasoline in Soil Amended with an Agroindustry Sludge, 421

Ollison, W.M.
Potential Interference Bias in Ozone Standard Compliance Monitoring, 1464

Olson, E.S.
Surface Compositions of Carbon Sorbents Exposed to Simulated Low-Rank Coal Flue Gases, 747

Overcamp, T.J.
Plume Rise in a Shear Layer with Neutral Stability, 669

Owens, J.
Airborne Emissions of Mercury from Municipal Solid Waste. I: New Measurements from Six Operating Landfills in Florida, 859

Özkaynak, H.
Parameter Evaluation and Model Validation of Ozone Exposure Assessment Using Harvard Southern California Chronic Ozone Exposure Study Data, 1508

Paatero, P.
Aerosol Particle Number Concentration Measurements in Five European Cities Using TSI-3022 Condensation Particle Counter over a Three-Year Period during Health Effects of Air Pollution on Susceptible Subpopulations, 1064

Palmer, G.R.
Complying with Executive Order 13148 Using the Enterprise Environmental Safety and Occupational Health Management Information System, 302
Field Validation of Sound Mitigation Models and Air Pollutant Emission Testing in Support of Missile Motor Disposal Activities, 1111
Maintaining High-Volume, Low-Pressure Surface-Coating Regulatory Compliance Using the U.S. Environmental Protection Agency's Data Quality Objectives Process, 365

Pankratz, D.V.
Relative Importance of School Bus-Related Microenvironments to Children's Pollutant Exposure, 1418

Park, H.I.
Compressibility of Municipal Solid Waste Codisposed with Fly Ash, 283

Parker, D.B.
Evaluation of Sample Recovery of Malodorous Livestock Gases from Air Sampling Bags, Solid-Phase Microextraction Fibers, Tenax TA Sorbent Tubes, and Sampling Canisters, 1147

Parks, N.J.
An Innovative Methodology for Analyzing Digital Visibility Images in an Urban Environment, 1733

Temporal Analysis of Airborne Particulate Matter Reveals a Dose-Rate Effect on Mortality in El Paso: Indications of Differential Toxicity for Different Particle Mixtures, 893

Parnell, C.B. Jr.
The Recovery of Ammonia and Hydrogen Sulfide from Ground-Level Area Sources Using Dynamic Isolation Flux Chambers: Bench-Scale Studies, 999

Parra, R.
Control of Ozone Precursors in a Complex Industrial Terrain by Using Multiscale-Nested Air Quality Models with Fine Spatial Resolution (1 km^2), 1085

Pavlish, J.H.
Surface Compositions of Carbon Sorbents Exposed to Simulated Low-Rank Coal Flue Gases, 747

Peckham, S.E.
The New England Air Quality Forecasting Pilot Program: Development of an Evaluation Protocol and Performance Benchmark, 1782

Pekkanen, J.
Aerosol Particle Number Concentration Measurements in Five European Cities Using TSI-3022 Condensation Particle Counter over a Three-Year Period during Health Effects of Air Pollution on Susceptible Subpopulations, 1064

Pereira, F.A.C.
Influence of Air Pollution on the Incidence of Respiratory Tract Neoplasm, 83

Pereira, L.A.A.
Influence of Air Pollution on the Incidence of Respiratory Tract Neoplasm, 83

Peters, A.
Aerosol Particle Number Concentration Measurements in Five European Cities Using TSI-3022 Condensation Particle Counter over a Three-Year Period during Health Effects of Air Pollution on Susceptible Subpopulations, 1064

Peters, S.
Maintaining High-Volume, Low-Pressure Surface-Coating Regulatory Compliance Using the U.S. Environmental Protection Agency's Data Quality Objectives Process, 365

Petrisor, I.G.
Evaluation of Biopolymer-Modified Concrete Systems for Disposal of Cathode Ray Tube Glass, 961
Re: Evaluation of Biopolymer-Modified Concrete Systems for Disposal of Cathode Ray Tube Glass, 1254

Pichat, P.
Measuring the Effect of Photocatalytic Purifiers on Indoor Air Hydrocarbons and Carbonyl Pollutants, 88

Pigeon, R.
Measurement of Fine Particles in Diesel Emissions Using a Real-Time Aerosol Monitor, 978

Pitchford, M.L.
Reconciliation and Interpretation of Big Bend National Park Light Extinction Source Apportionment: Results from the Big Bend Regional Aerosol and Visibility Observational Study—Part II, 1726
Reconciliation and Interpretation of Big Bend National Park Particulate Sulfur Source Apportionment: Results from the Big Bend Regional Aerosol and Visibility Observational Study—Part I, 1709

Pleus, R.C.
Nanoparticles and the Environment, 1411

Pollet, D.A.
Field Validation of Sound Mitigation Models and Air Pollutant Emission Testing in Support of Missile Motor Disposal Activities, 1111

Price, J.
Airborne Emissions of Mercury from Municipal Solid Waste. I: New Measurements from Six Operating Landfills in Florida, 859
Airborne Emissions of Mercury from Municipal Solid Waste. II: Potential Losses of Airborne Mercury before Landfill, 870

Pu, W.
Air Quality Impact of the Coal-Fired Power Plants in the Northern Passageway of the China West-East Power Transmission Project, 1816

Purdham, J.T.
Sources of Personal Exposure to Fine Particles in Toronto, Ontario, Canada, 1134

Qi, B.
Biofilter Treatment of Volatile Organic Compound Emissions from Reformulated Paint: Complex Mixtures, Intermittent Operation, and Startup, 950

Qin, Y.
Estimation of Organic Carbon Blank Values and Error Structures of the Speciation Trends Network Data for Source Apportionment, 1190

Raina, D.S.
An Innovative Methodology for Analyzing Digital Visibility Images in an Urban Environment, 1733

Raja, S.
Heterogeneous Oxidation by Ozone of Naphthalene Adsorbed at the Air–Water Interface of Micron-Size Water Droplets, 1345

Ramme, B.
A Pilot Study of Mercury Liberation and Capture from Coal-Fired Power Plant Fly Ash, 258

Rasmussen, S.L.
Complying with Executive Order 13148 Using the Enterprise Environmental Safety and Occupational Health Management Information System, 302

Reich, R.
Impacts of Biodiesel on Pollutant Emissions of a JP-8–Fueled Turbine Engine, 940

Reinhart, D.
Airborne Emissions of Mercury from Municipal Solid Waste. I: New Measurements from Six Operating Landfills in Florida, 859
Airborne Emissions of Mercury from Municipal Solid Waste. II: Potential Losses of Airborne Mercury before Landfill, 870

Renninger, S.
Methylmercury, Fish Consumption, and the Precautionary Principle, 388

Reul-Chen, C.K.
Exhaust Temperature Profiles for Application of Passive Diesel Particulate Filters to Solid Waste Collection Vehicles in California, 241

Reynolds, J.
Membrane-Based Wet Electrostatic Precipitation, 784

Reynolds, S.D.
Air Quality Modeling and Decisions for Ozone Reduction Strategies, 1558

Rizwa, M.
Sulfur Toxicity and Media Capacity for H_2S Removal in Biofilters Packed with a Natural or a Commercial Granular Medium, 415

Roberts, S.
An Investigation of Distributed Lag Models in the Context of Air Pollution and Mortality Time Series Analysis, 273

Rodríguez, E.
Pollution Prevention and Control Procedure Case Study: An Application for Petroleum Refineries, 792

Rodríguez-Iglesias, J.
Extraction Wells and Biogas Recovery Modeling in Sanitary Landfills, 173

Rogers, F.
Real-Time Measurements of Jet Aircraft Engine Exhaust, 583

Roh, S.A.
Combustion Characteristics of Spent Catalyst and Paper Sludge in an Internally Circulating Fluidized-Bed Combustor, 1269

Rose, A.
A Greenhouse Gas Emissions Inventory for Pennsylvania, 1122

Ross, C.
Exhaust Temperature Profiles for Application of Passive Diesel Particulate Filters to Solid Waste Collection Vehicles in California, 241

Roth, P.M.
Air Quality Modeling and Decisions for Ozone Reduction Strategies, 1558

Roy, K.
Airborne Emissions of Mercury from Municipal Solid Waste. I: New Measurements from Six Operating Landfills in Florida, 859

Rubin, E.S.
Technology Innovations and Experience Curves for Nitrogen Oxides Control Technologies, 1827

Russell, A.G.
Integrated Assessment Modeling of Atmosphere Pollutants in the Southern Appalachian Mountains. Part I: Hourly and Seasonal Ozone, 1019

Ryan, P.A.
Improved Light Extinction Reconstruction in Interagency Monitoring of Protected Visual Environments, 1751
Precipitation in Light Extinction Reconstruction, 1014

Sabin, L.D.
Relative Importance of School Bus-Related Microenvironments to Children's Pollutant Exposure, 1418

Sagebiel, J.
Real-Time Measurements of Jet Aircraft Engine Exhaust, 583

Saiyasitpanich, P.
The Effect of Diesel Fuel Sulfur Content on Particulate Matter Emissions for a Nonroad Diesel Generator, 993

Saldiva, P.H.N.
Influence of Air Pollution on the Incidence of Respiratory Tract Neoplasm, 83

Sánchez-Monedero, M.A.
Bioaerosol Generation at Large-Scale Green Waste Composting Plants, 612

Sandoval-Fernández, J.
Effect of Liquefied Petroleum Gas on Ozone Formation in Guadalajara and Mexico City, 841

San Martini, F.M.
Modeling Inorganic Aerosols and Their Response to Changes in Precursor Concentration in Mexico City, 803

Sarnat, J.A.
Analysis of PM_{10}, $PM_{2.5}$, and $PM_{2.5\text{ to }10}$ Concentrations in Santiago, Chile, from 1989 to 2001, 342

Sarofim, A.F.
Real-Time Measurements of Jet Aircraft Engine Exhaust, 583
Simulation of the Evolution of Particle Size Distributions in a Vehicle Exhaust Plume with Unconfined Dilution by Ambient Air, 437

Sass-Kortsak, A.
Sources of Personal Exposure to Fine Particles in Toronto, Ontario, Canada, 1134

Sastre, H.
Extraction Wells and Biogas Recovery Modeling in Sanitary Landfills, 173

Satola, J.
Potential Interference Bias in Ozone Standard Compliance Monitoring, 1464

Sattler, M.L.
Chemical Mass Balance Model with Fractionation for Apportioning $PM_{2.5}$: A Test Case for Los Angeles Traffic Sources, 1335
Correlating Emissions with Time and Temperature to Predict Worst-Case Emissions from Open Liquid Area Sources, 1077

Savage, N.
Nanoparticles and the Environment, 1411

Savage, T.H.
Methods and Results from a New Survey of Values for Eastern Regional Haze Improvements, 1767

Sax, S.N.
Analysis of PM_{10}, $PM_{2.5}$, and $PM_{2.5\text{ to }10}$ Concentrations in Santiago, Chile, from 1989 to 2001, 342

Saylor, R.D.
The Southeastern Aerosol Research and Characterization Study: Part II. Filter-Based Measurements of Fine and Coarse Particulate Matter Mass and Composition, 1527

Scala, F.
Spray-Dry Desulfurization of Flue Gas from Heavy Oil Combustion, 20

Schauer, J.J.
Summer and Winter Nonmethane Hydrocarbon Emissions from On-Road Motor Vehicles in the Midwestern United States, 629

Scheutz, C.
Biodegradation of Trace Gases in Simulated Landfill Soil Cover Systems, 878

Schichtel, B.A.
Directional Biases in Back Trajectories Caused by Model and Input Data, 1649
Reconciliation and Interpretation of Big Bend National Park Light Extinction Source Apportionment: Results from the Big Bend Regional Aerosol and Visibility Observational Study—Part II, 1726
Reconciliation and Interpretation of Big Bend National Park Particulate Sulfur Source Apportionment: Results from the Big Bend Regional Aerosol and Visibility Observational Study—Part I, 1709

Schifter, I.
Hazardous Air Pollutants from Mobile Sources in the Metropolitan Area of Mexico City, 1289

Schmidt, D.R.
Predictions by the Odor From Feedlots, Setback Estimation Tool (OFFSET) Compared with Observations by Neighborhood Monitors, 1306

Schnaid, F.
Enhancing Bioremediation of Diesel Oil and Gasoline in Soil Amended with an Agroindustry Sludge, 421

Schulz, R.L.
Nickel and Sulfur Speciation of Residual Oil Fly Ashes from Two Electric Utility Steam-Generating Units, 309

Seames, W.
Impacts of Biodiesel on Pollutant Emissions of a JP-8–Fueled Turbine Engine, 940

Selbach, P.A.
Enhancing Bioremediation of Diesel Oil and Gasoline in Soil Amended with an Agroindustry Sludge, 421

Sercu, B.
Degradation of Isobutanal at High Loading Rates in a Compost Biofilter, 1217

Sfeir, H.
Airborne Emissions of Mercury from Municipal Solid Waste. I: New Measurements from Six Operating Landfills in Florida, 859
Airborne Emissions of Mercury from Municipal Solid Waste. II: Potential Losses of Airborne Mercury before Landfill, 870

Shaw, B.W.
The Recovery of Ammonia and Hydrogen Sulfide from Ground-Level Area Sources Using Dynamic Isolation Flux Chambers: Bench-Scale Studies, 999

Sheen, Y.-N.
Glazed Tiles Manufactured from Incinerated Sewage Sludge Ash and Clay, 163

Sheth, A.C.
Investigation of Nitrogen-Bearing Species in Catalytic Steam Gasification of Poultry Litter, 619
Preliminary Economic Analysis of Poultry Litter Gasification Option with a Simple Transportation Model, 510

Shi, L.
Membrane-Based Wet Electrostatic Precipitation, 784

Shores, R.C.
Open-Path Tunable Diode Laser Absorption Spectroscopy for Acquisition of Fugitive Emission Flux Data, 658

Shu, C.-M.
Source Location and Characterization of Volatile Organic Compound Emissions at a Petrochemical Plant in Kaohsiung, Taiwan, 1487

Shu, H.-Y.
Using Nanoscale Zero-Valent Iron for the Remediation of Polycyclic Aromatic Hydrocarbons Contaminated Soil, 1200

Sin, D.W.M.
Seasonal and Spatial Variation of Solvent Extractable Organic Compounds in Fine Suspended Particulate Matter in Hong Kong, 291

Sioutas, C.
Inhalation of Concentrated Ambient Particulate Matter near a Heavily Tafficked Road Stimulates Antigen-Induced Airway Responses in Mice, 1277

Sistla, G.
An Assessment of the Sensitivity and Reliability of the Relative Reduction Factor Approach in the Development of 8-hr Ozone Attainment Plans, 13

Sjövall, B.
Aerosol Particle Number Concentration Measurements in Five European Cities Using TSI-3022 Condensation Particle Counter over a Three-Year Period during Health Effects of Air Pollution on Susceptible Subpopulations, 1064

Slørdal, L.H.
Quantification of Monosaccharide Anhydrides by Liquid Chromatography Combined with Mass Spectrometry: Application to Aerosol Samples from an Urban and a Suburban Site Influenced by Small-Scale Wood Burning, 1169

Smith, A.E.
Methods and Results from a New Survey of Values for Eastern Regional Haze Improvements, 1767

Smith, G.C.
The Missoula Valley Semivolatile and Volatile Organic Compound Study: Seasonal Average Concentrations, 1007
Vapor-Phase and Fine Particulate Matter Concentrations of Polycyclic Aromatic Hydrocarbons Measured during the Winter Months in a Northern Rocky Mountain Urban Airshed, 1327

Snow, R.
Criteria and Air-Toxic Emissions from In-Use Automobiles in the National Low-Emission Vehicle Program, 1263

Solomon, C.J.
Nanoparticles and the Environment, 1411

Song, H.O.
SynGas Production from Organic Waste Using Non-Thermal-Pulsed Discharge, 430

Sorial, G.A.
Evaluation of Trickle-Bed Air Biofilter Performance under Periodic Stressed Operating Conditions as a Function of Styrene Loading, 200

Sosa, G.
Modeling Inorganic Aerosols and Their Response to Changes in Precursor Concentration in Mexico City, 803

Sotiropoulos, D.
Impact of Free Calcium Oxide Content of Fly Ash on Dust and Sulfur Dioxide Emissions in a Lignite-Fired Power Plant, 1042

Southworth, G.R.
Airborne Emissions of Mercury from Municipal Solid Waste. I: New Measurements from Six Operating Landfills in Florida, 859
Airborne Emissions of Mercury from Municipal Solid Waste. II: Potential Losses of Airborne Mercury before Landfill, 870

Spengler, J.D.
Parameter Evaluation and Model Validation of Ozone Exposure Assessment Using Harvard Southern California Chronic Ozone Exposure Study Data, 1508

Spicer, C.W.
Potential Interference Bias in Ozone Standard Compliance Monitoring, 1464

Spinelli, L.F.
Enhancing Bioremediation of Diesel Oil and Gasoline in Soil Amended with an Agroindustry Sludge, 421

Spinhirne, J.P.
Evaluation of Sample Recovery of Malodorous Livestock Gases from Air Sampling Bags, Solid-Phase Microextraction Fibers, Tenax TA Sorbent Tubes, and Sampling Canisters, 1147

Srivastava, R.K.
Nitrogen Oxides Emission Control Options for Coal-Fired Electric Utility Boilers, 1367

St. Denis, M.
Review of Light-Duty Diesel and Heavy-Duty Diesel Gasoline Inspection Programs, 1876

Staniswalis, J.G.
Temporal Analysis of Airborne Particulate Matter Reveals a Dose-Rate Effect on Mortality in El Paso: Indications of Differential Toxicity for Different Particle Mixtures, 893

Statnick, R.M.
The Steubenville Comprehensive Air Monitoring Program (SCAMP): Analysis of Short-Term and Episodic Variations in $PM_{2.5}$ Concentrations Using Hourly Air Monitoring Data, 559
The Steubenville Comprehensive Air Monitoring Program (SCAMP): Associations among Fine Particulate Matter, Co-Pollutants, and Meteorological Conditions, 481
The Steubenville Comprehensive Air Monitoring Program (SCAMP): Overview and Statistical Considerations, 467

Steele, N.L.C.
Exhaust Temperature Profiles for Application of Passive Diesel Particulate Filters to Solid Waste Collection Vehicles in California, 241

Stefani, D.
The Implosion of the Calgary General Hospital: Ambient Air Quality Issues, 52

Stein, A.F.
The New England Air Quality Forecasting Pilot Program: Development of an Evaluation Protocol and Performance Benchmark, 1782

Stentiford, E.I.
Bioaerosol Generation at Large-Scale Green Waste Composting Plants, 612

Stram, D.
Inhalation of Concentrated Ambient Particulate Matter near a Heavily Tafficked Road Stimulates Antigen-Induced Airway Responses in Mice, 1277

Stuart, B.J.
Membrane-Based Wet Electrostatic Precipitation, 784

Su, K.-L.
Determination of Schulze Equation for Chemical Oxygen Demand Reduction Using Stabilized Landfill Refuse Media, 194

Sullivan, T.
Methylmercury, Fish Consumption, and the Precautionary Principle, 388

Sunyer, J.
Aerosol Particle Number Concentration Measurements in Five European Cities Using TSI-3022 Condensation Particle Counter over a Three-Year Period during Health Effects of Air Pollution on Susceptible Subpopulations, 1064

Taylor, C.L.
Methods and Results from a New Survey of Values for Eastern Regional Haze Improvements, 1767

Taylor, M.R.
Technology Innovations and Experience Curves for Nitrogen Oxides Control Technologies, 1827

Tesche, T.W.
Air Quality Modeling and Decisions for Ozone Reduction Strategies, 1558
Preliminary Evaluation of the Community Multiscale Air Quality Model for 2002 over the Southeastern United States, 1694

Thoma, E.D.
Open-Path Tunable Diode Laser Absorption Spectroscopy for Acquisition of Fugitive Emission Flux Data, 658

Thompson, E.L.
Open-Path Tunable Diode Laser Absorption Spectroscopy for Acquisition of Fugitive Emission Flux Data, 658

Thorn, W.J. III
Consistency of Ozone and Nitrogen Oxides Standards at Tropospherically Relevant Mixing Ratios, 1473

Thorneloe, S.A.
Open-Path Tunable Diode Laser Absorption Spectroscopy for Acquisition of Fugitive Emission Flux Data, 658

Tierney, E.J.
Real-World Vehicle Emissions: A Summary of the 14th Coordinating Research Council On-Road Vehicle Emissions Workshop, 130

Toman, D.L.
Nickel and Sulfur Speciation of Residual Oil Fly Ashes from Two Electric Utility Steam-Generating Units, 309

Tombach, I.
Natural Background Visibility and Regional Haze Goals in the Southeastern United States, 1600
Reconciliation and Interpretation of Big Bend National Park Light Extinction Source Apportionment: Results from the Big Bend Regional Aerosol and Visibility Observational Study—Part II, 1726
Reconciliation and Interpretation of Big Bend National Park Particulate Sulfur Source Apportionment: Results from the Big Bend Regional Aerosol and Visibiiity Observational Study—Part I, 1709

Tong, H.-Y.
A Modal Approach to Vehicular Emissions and Fuel Consumption Model Development, 1431

Tonnesen, G.
Preliminary Evaluation of the Community Multiscale Air Quality Model for 2002 over the Southeastern United States, 1694

Trujillo, D.
PM Source Identification at Sunland Park, New Mexico, Using a Simple Heuristic Meteorological and Chemical Analysis, 352

Tsai, C.-H.
Interactive Analysis of Waste Recycling and Energy Recovery Program in a Small-Scale Incinerator, 1356

Tsai, C.-J.
An Efficient Venturi Scrubber System to Remove Submicron Particles in Exhaust Gas, 319

Tsai, J.-H.
Mass-Size Distributions of Particulate Sulfate, Nitrate, and Ammonium in a Particulate Matter Nonattainment Region in Southern Taiwan, 502

Tsai, M.-Y.
Three-Dimensional Modeling of Air Flow and Pollutant Dispersion in an Urban Street Canyon with Thermal Effects, 1178

Tsai, P.-J.
Emissions of Polychlorinated Dibenzo-*p*-Dioxins and Dibenzofurans from Stack Gases of Electric Arc Furnaces and Secondary Aluminum Smelters, 219

Tsai, S.-F.
Characteristics of Road Dust from Different Sampling Sites in Northern Taiwan, 1236

Tsiros, I.X.
Modeling Mercury Fluxes and Concentrations in a Georgia Watershed Receiving Atmospheric Deposition Load from Direct and Indirect Sources, 547

Tu, Y.-J.
Incinerating Volatile Organic Compounds with Ferrospinel Catalyst $MnFe_2O_4$: An Example with Isopropyl Alcohol, 1809

Tuomisto, J.T.
Characterization of Model Error in a Simulation of Fine Particulate Matter Exposure Distributions of the Working Age Population in Helsinki, Finland, 446

Urpilainen, S.T.
Bioaerosol Generation at Large-Scale Green Waste Composting Plants, 612

Valsaraj, K.T.
Heterogeneous Oxidation by Ozone of Naphthalene Adsorbed at the Air-Water Interface of Micron-Size Water Droplets, 1345

Van Langenhove, H.
Degradation of Isobutanal at High Loading Rates in a Compost Biofilter, 1217

Varma, R.
Scattering Cross-Section Emission Factors for Visibility and Radiative Transfer Applications: Military Vehicles Traveling on Unpaved Roads, 1743

Varma, R.M.
Open-Path Tunable Diode Laser Absorption Spectroscopy for Acquisition of Fugitive Emission Flux Data, 658

Vautard, R.
Comparison of Two Photochemical Modeling Systems in a Tropical Urban Area, 903

Vázques, I.
Extraction Wells and Biogas Recovery Modeling in Sanitary Landfills, 173

Vázquez-García, M.
Effect of Liquefied Petroleum Gas on Ozone Formation in Guadalajara and Mexico City, 841

Vela, P.
Trace Gases and Particulate Matter Emissions from Wildfires and Agricultural Burning in Northeastern Mexico during the 2000 Fires Season, 1797

Verstraete, W.
Degradation of Isobutanal at High Loading Rates in a Compost Biofilter, 1217

Volpicelli, G.
Spray-Dry Desulfurization of Flue Gas from Heavy Oil Combustion, 20

von Klot, S.
Aerosol Particle Number Concentration Measurements in Five European Cities Using TSI-3022 Condensation Particle Counter over a Three-Year Period during Health Effects of Air Pollution on Susceptible Subpopulations, 1064

Vukovich, J.M.
Development of a United States-Mexico Emissions Inventory for the Big Bend Regional Aerosol and Visibility Observational (BRAVO) Study, 677

Wagner, D.
Real-Time Measurements of Jet Aircraft Engine Exhaust, 583

Walton, J.
PM Source Identification at Sunland Park, New Mexico, Using a Simple Heuristic Meteorological and Chemical Analysis, 352

Wang, C.
Optimal Fleetwide Emissions Reductions for Passenger Ferries: An Application of a Mixed-Integer Nonlinear Programming Model for the New York-New Jersey Harbor, 458

Wang, C.-F.
Characteristics of Road Dust from Different Sampling Sites in Northern Taiwan, 1236

Wang, F.-C.
An Efficient Venturi Scrubber System to Remove Submicron Particles in Exhaust Gas, 319

Wang, H.-C.
Temperature Dependence of Nickel Stabilization in Inorganic Oxide Matrices, 1451

Wang, L.
Air Quality Modeling of Interpollutant Trading for Ozone Precursors in an Urban Area, 1543
Improving Urban Air Quality in China: Beijing Case Study, 1298

Wang, L.-C.
Emissions of Polychlorinated Dibenzo-*p*-Dioxins and Dibenzofurans from Stack Gases of Electric Arc Furnaces and Secondary Aluminum Smelters, 219

Wang, M.-C.
Using Nanoscale Zero-Valent Iron for the Remediation of Polycyclic Aromatic Hydrocarbons Contaminated Soil, 1200

Wang, Y.-M.
An Efficient Venturi Scrubber System to Remove Submicron Particles in Exhaust Gas, 319

Ward, T.J.
The Missoula Valley Semivolatile and Volatile Organic Compound Study: Seasonal Average Concentrations, 1007
Vapor-Phase and Fine Particulate Matter Concentrations of Polycyclic Aromatic Hydrocarbons Measured during the Winter Months in a Northern Rocky Mountain Urban Airshed, 1327

Wardman, D.
The Implosion of the Calgary General Hospital: Ambient Air Quality Issues, 52

Watson, J.G.
Loss of $PM_{2.5}$ Nitrate from Filter Samples in Central California, 1158
Nanoparticles and the Environment, 1411
Seasonal and Spatial Variation of Solvent Extractable Organic Compounds in Fine Suspended Particulate Matter in Hong Kong, 291

Wei, Y.-L.
Molecular Study of Thermal Immobilization of Chromium(VI) with Clay, 411

Temperature Dependence of Nickel Stabilization in Inorganic Oxide Matrices, 1451

Wen, S.-E.
Properties of Pyrolytic Chars and Activated Carbons Derived from Pilot-Scale Pyrolysis of Used Tires, 1315

West, J.J.
Modeling Inorganic Aerosols and Their Response to Changes in Precursor Concentration in Mexico City, 803

Wey, M.-Y.
Filtration of Fly Ash Using a Fluidized-Bed Filter, 181

Wilkinson, J.G.
Integrated Assessment Modeling of Atmosphere Pollutants in the Southern Appalachian Mountains. Part I: Hourly and Seasonal Ozone, 1019

Williamson, D.G.
Use of Subsampled Traffic Data to Estimate Roadway Emissions, Including Conversion to MOBILE6 Vehicle Classifications, 1245

Wilson, W.E.
Continuous Determination of Fine Particulate Matter Mass in the Salt Lake City Enivornmental Monitoring Project: A Comparison of Real-Time and Conventional TEOM Monitor Results, 1839

Winebrake, J.J.
Optimal Fleetwide Emissions Reductions for Passenger Ferries: An Application of a Mixed-Integer Nonlinear Programming Model for the New York–New Jersey Harbor, 458

Winer, A.M.
Exhaust Temperature Profiles for Application of Passive Diesel Particulate Filters to Solid Waste Collection Vehicles in California, 241
Relative Importance of School Bus-Related Microenvironments to Children's Pollutant Exposure, 1418

Winter, S.E.
The Steubenville Comprehensive Air Monitoring Program (SCAMP): Analysis of Short-Term and Episodic Variations in $PM_{2.5}$ Concentrations Using Hourly Air Monitoring Data, 559
The Steubenville Comprehensive Air Monitoring Program (SCAMP): Associations among Fine Particulate Matter, Co-Pollutants, and Meteorological Conditions, 481
The Steubenville Comprehensive Air Monitoring Program (SCAMP): Overview and Statistical Considerations, 467

Wirtz, D.S.
Systematic Development of an Artificial Neural Network Model for Real-Time Prediction of Ground-Level Ozone in Edmonton, Alberta, Canada, 1847

Wise, E.K.
Extending the Kolmogorov–Zurbenko Filter: Application to Ozone, Particulate Matter, and Meteorological Trends, 1208

Withum, J.A.
The Steubenville Comprehensive Air Monitoring Program (SCAMP): Analysis of Short-Term and Episodic Variations in $PM_{2.5}$ Concentrations Using Hourly Air Monitoring Data, 559
The Steubenville Comprehensive Air Monitoring Program (SCAMP): Associations among Fine Particulate Matter, Co-Pollutants, and Meteorological Conditions, 481
The Steubenville Comprehensive Air Monitoring Program (SCAMP): Overview and Statistical Considerations, 467

Woods, P.
Optimal Fleetwide Emissions Reductions for Passenger Ferries: An Application of a Mixed-Integer Nonlinear Programming Model for the New York-New Jersey Harbor, 458

Wool, T.A.
Modeling Mercury Fluxes and Concentrations in a Georgia Watershed Receiving Atmospheric Deposition Load from Direct and Indirect Sources, 547

Wright, D.W.
Evaluation of Sample Recovery of Malodorous Livestock Gases from Air Sampling Bags, Solid-Phase Microextraction Fibers, Tenax TA Sorbent Tubes, and Sampling Canisters, 1147

Wu, C.-H.
Three-Dimensional Modeling of Air Flow and Pollutant Dispersion in an Urban Street Canyon with Thermal Effects, 1178

Wu, C.-Y.
2005 Critical Review: Nanoparticles and the Environment, 708
Nanoparticles and the Environment, 1411

Wu, H.H.
Field Enhancements of Packed-Bed Performance for Low-Concentration Acidic and Basic-Waste Gases from Semiconductor Manufacturing Process, 647

Wu, K.-Y.
Emissions of Polychlorinated Dibenzo-*p*-Dioxins and Dibenzofurans from Stack Gases of Electric Arc Furnaces and Secondary Aluminum Smelters, 219

Wu, Z.-X.
An Efficient Venturi Scrubber System to Remove Submicron Particles in Exhaust Gas, 319

Xue, J.
Parameter Evaluation and Model Validation of Ozone Exposure Assessment Using Harvard Southern California Chronic Ozone Exposure Study Data, 1508

Xue, Z.
Air Quality Impact of the Coal-Fired Power Plants in the Northern Passageway of the China West-East Power Transmission Project, 1816

Yan, J.-H.
Properties of Pyrolytic Chars and Activated Carbons Derived from Pilot-Scale Pyrolysis of Used Tires, 1315

Yang, F.
Characterization of Carbonaceous Species of Ambient $PM_{2.5}$ in Beijing, China, 984

Yang, S.
Electrostatic Enhancement of Collection Efficiency of the Fibrous Filter Pretreated with Ionic Surfactants, 594

Yang, Y.-W.
Molecular Study of Thermal Immobilization of Chromium(VI) with Clay, 411
Temperature Dependence of Nickel Stabilization in Inorganic Oxide Matrices, 1451

Yao, M.
Use of Subsampled Traffic Data to Estimate Roadway Emissions, Including Conversion to MOBILE6 Vehicle Classifications, 1245

Yao, Q.
Properties of Pyrolytic Chars and Activated Carbons Derived from Pilot-Scale Pyrolysis of Used Tires, 1315

Yarnal, B.
A Greenhouse Gas Emissions Inventory for Pennsylvania, 1122

Yarwood, G.
Evaluation of Multisectional and Two-Section Particulate Matter Photochemical Grid Models in the Western United States, 1683

Yeh, S.
Technology Innovations and Experience Curves for Nitrogen Oxides Control Technologies, 1827

Yen, T.F.
Evaluation of Biopolymer-Modified Concrete Systems for Disposal of Cathode Ray Tube Glass, 961
Re: Evaluation of Biopolymer-Modified Concrete Systems for Disposal of Cathode Ray Tube Glass, 1254

Young, G.S.
Application of Satellite Remote-Sensing Data for Source Analysis of Fine Particulate Matter Transport Events, 1389

Yttri, K.E.
Quantification of Monosaccharide Anhydrides by Liquid Chromatography Combined with Mass Spectrometry: Application to Aerosol Samples from an Urban and a Suburban Site Influenced by Small-Scale Wood Burning, 1169

Yu, X.-Y.
Particulate Nitrate Measurement Using Nylon Filters, 1100

Yuan, C.
Effects of Aerosol Species on Atmospheric Visibility in Kaohsiung City, Taiwan, 1031

Yuan, C.-S.
Effects of Aerosol Species on Atmospheric Visibility in Kaohsiung City, Taiwan, 1031

Zambrano-García, A.
Effect of Liquefied Petroleum Gas on Ozone Formation in Guadalajara and Mexico City, 841

Zander, D.A.
Effects of Ceiling-Mounted HEPA-UV Air Filters on Airborne Bacteria Concentrations in an Indoor Therapy Pool Building, 210

Zetzsche, K.
Aerosol Particle Number Concentration Measurements in Five European Cities Using TSI-3022 Condensation Particle Counter over a Three-Year Period during Health Effects of Air Pollution on Susceptible Subpopulations, 1064

Zhang, B.
Comparison of Two Photochemical Modeling Systems in a Tropical Urban Area, 903

Zhang, H.
Airborne Emissions of Mercury from Municipal Solid Waste. I: New Measurements from Six Operating Landfills in Florida, 859
Airborne Emissions of Mercury from Municipal Solid Waste. II: Potential Losses of Airborne Mercury before Landfill, 870

Zhang, Q.
Characterization of Carbonaceous Species of Ambient $PM_{2.5}$ in Beijing, China, 984

Zhu, J.
Measurement of Fine Particles in Diesel Emissions Using a Real-Time Aerosol Monitor, 978

Zielinska, B.
Real-Time Measurements of Jet Aircraft Engine Exhaust, 583

Zillioux, E.J.
Nickel and Sulfur Speciation of Residual Oil Fly Ashes from Two Electric Utility Steam-Generating Units, 309